

Telaio in metallo verniciato.
Vetri in piastra.
Illuminazione a LED.

Painted metal frame.
Plate glasses.
LED lighting.

Struktur aus lackiertem
Metall.
Glas aus gegossenen
Glasplatten.
LED-Beleuchtung.

Structure en métal peint.
Verre plat.
LED éclairage.

**ОКРАШЕННЫЙ
МЕТАЛЛИЧЕСКИЙ
КАРКАС.
ВЕНЕЦИАНСКОЕ
РЕЛЬЕФНОЕ СТЕКЛО.
СВЕТОДИОД.**

Standard finishings



V91 Nero goffrato
Embossed black

Family


Chandelier



Suspension




Applique




Floor Lamp



Standard cables for all suspensions




BLAKE S16



Ø 78 cm / 28.74"
H 110 cm / 39.37"

LED x 51,2 W CRI>90
3000 K - 6896 Nominal lm
Dimmable: 1 - 10 V


BLAKE S8



Ø 53 cm / 20.86"
H 97 cm / 38.18"


LED x 25,2 W CRI>90
3000 K - 3328 Nominal lm
Dimmable: 1 - 10 V

BLAKE S1




L 7.8 cm / 3.07"
SP 7.1 cm / 2.79"
H 37 cm / 14.36"

LED x 2,4 W CRI>90
3000 K - 289 Nominal lm
Dimmable: NO

BLAKE C5 LN 75  


L 75 cm / 29.52"
SP 20 cm / 7.87"
H max 160 cm / 62.99"

LED x 13,5 W CRI>90
3000 K - 1605 Nominal lm
Dimmable: 1 - 10 V+DALI+PUSH

BLAKE C7 LN 125  


L 125 cm / 49.21"
SP 20 cm / 7.87"
H max 160 cm / 62.99"

LED x 16,8 W CRI>90
3000 K - 2023 Nominal lm
Dimmable: 1 - 10 V+DALI+PUSH

BLAKE C10 LN 175  


L 175 cm / 68.89"
SP 20 cm / 7.87"
H max 160 cm / 62.99"

LED x 27 W CRI>90
3000 K - 3210 Nominal lm
Dimmable: 1 - 10 V + PUSH + DALI

BLAKE C5 RD 40  

Ø 40 cm / 15.74"
H max 160 cm / 62.99"

LED x 13,5 W CRI>90
3000 K - 1605 Nominal lm
Dimmable: 1 - 10 V+DALI+PUSH

BLAKE C7 RD 60  



Ø 60 cm / 23.62"
H max 160 cm / 62.99"

LED x 16,8 W CRI>90
3000 K - 2023 Nominal lm
Dimmable: 1 - 10 V+DALI+PUSH

BLAKE C10 RD 80  

Ø 80 cm / 31.49"
H max 160 cm / 62.99"

LED x 27 W CRI>90
3000 K - 3210 Nominal lm
Dimmable: 1 - 10 V+DALI+PUSH

BLAKE A3**BLAKE STL3**

L 26 cm / 10.23"
 SP 13.5 cm / 5.31"
 H 60 cm / 23.62"

L 35 cm / 13.77"
 SP 29 cm / 11.41"
 H 170 cm / 66.92"

LED x 8,4 W CRI>90
 3000 K - 1026 Nominal lm
Dimmable: 1 - 10 V + PUSH

LED x 8,4 W CRI>90
 3000 K - 1026 Nominal lm
Dimmable: OWN BUTTON

Telaio in metallo verniciato.
Vetri in piastra.
Illuminazione a LED.

Painted metal frame.
Plate glasses.
LED lighting.

Struktur aus lackiertem
Metall.
Glas aus gegossenen
Glasplatten.
LED-Beleuchtung.

Structure en métal peint.
Verre plat.
LED éclairage.

**ОКРАШЕННЫЙ
МЕТАЛЛИЧЕСКИЙ
КАРКАС.
ВЕНЕЦИАНСКОЕ
РЕЛЬЕФНОЕ СТЕКЛО.
СВЕТОДИОД.**

Standard finishings



V91 Nero goffrato
Embossed black

Family

Chandelier



Suspension




Applique




Floor Lamp



Standard cables for all suspensions



BLAKE S16



Chandelier




TECHNICAL INFORMATION

Ø 78 cm / 30.71"
H 110 cm / 43.31"

LED x 51,2 W CRI>90
 3000 K - 6896 Nominal lm
Dimmable: 0 - 10 V

BLAKE S8



Chandelier




TECHNICAL INFORMATION

Ø 53 cm / 20.86"
H 97 cm / 38.18"

LED x 25,2 W CRI>90
 3000 K - 3328 Nominal lm
Dimmable: 0 - 10 V

BLAKE S1



Suspension




TECHNICAL INFORMATION

L 7.8 cm / 3.07"
SP 7.1 cm / 2.79"
H 37 cm / 14.56"

LED x 2,4 W CRI>90
 3000 K - 289 Nominal lm
Dimmable: 0 - 10 V

BLAKE C5 LN 75


CE 

TECHNICAL INFORMATION

L 75 cm / 29.52"
SP 20 cm / 7.87"
H max 160 cm / 62.99"

LED x 13,5W CRI>90
 3000 K - 1605 Nominal lm
Dimmable: 0 - 10 V

BLAKE C7 LN 125


CE 

TECHNICAL INFORMATION

L 125 cm / 49.21"
SP 20 cm / 7.87"
H max 160 cm / 62.99"

LED x 16,8W CRI>90
 3000 K - 2023 Nominal lm
Dimmable: 0 - 10 V

BLAKE C10 LN 175

CE 

TECHNICAL INFORMATION

L 175 cm / 68.89"
SP 20 cm / 7.87"
H max 160 cm / 62.99"

LED x 27W CRI>90
 3000 K - 3210 Nominal lm
Dimmable: 0 - 10 V

BLAKE C5 RD 40


CE 

TECHNICAL INFORMATION

Ø 40 cm / 15.74"
H max 160 cm / 62.99"

LED x 13,5W CRI>90
 3000 K - 1605 Nominal lm
Dimmable: 0 - 10 V

BLAKE C7 RD 60


CE 

TECHNICAL INFORMATION

Ø 60 cm / 23.62"
H max 160 cm / 62.99"

LED x 16,8W CRI>90
 3000 K - 2023 Nominal lm
Dimmable: 0 - 10 V

BLAKE C10 RD 80


CE 

TECHNICAL INFORMATION

Ø 80 cm / 31.49"
H max 160 cm / 62.99"

LED x 27W CRI>90
 3000 K - 3210 Nominal lm
Dimmable: 0 - 10 V

BLAKE A3



Applique




TECHNICAL INFORMATION

L 26 cm / 10.23"
SP 13.5 cm / 5.31"
H 60 cm / 23.62"

LED x 8,4 W CRI>90
 3000 K - 1026 Nominal lm
Dimmable: 0 - 10 V

BLAKE STL3



Floor lamp



TECHNICAL INFORMATION

L 35 cm / 13.77"
SP 29 cm / 11.41"
H 170 cm / 66.92"

LED x 8,4 W CRI>90
 3000 K - 1026 Nominal lm
Dimmable: OWN BUTTON