

# Vollee

SUSPENSION



Painted metal frame.  
LED Lighting.

## FINISHINGS

### STANDARD



v95 Matt white




v90 Matt black




v99 Painted matt gold


## STANDARD CABLES




VOLLEE S1G		CE	UL
W	52 cm / 20.50"		
D	36 cm / 14.20"		
H	88 cm / 34.60"		
STANDARD INTEGRATED LED LIGHTING			
7,5 W CRI>90		3000 K – 915 NOMINAL LM	
ON REQUEST			
7,5 W CRI>90		2700 K – 869 NOMINAL LM	
DIMMABLE			
TRIAC			



VOLLEE S1P DOWN		CE	UL
W	25 cm / 9.80"		
D	17,5 cm / 6.90"		
H	44 cm / 17.30"		
STANDARD INTEGRATED LED LIGHTING			
5,4 W CRI>90		3000 K – 688 NOMINAL LM	
ON REQUEST			
5,4 W CRI>90		2700 K – 653 NOMINAL LM	
DIMMABLE			
TRIAC			



VOLLEE S1P UP		CE	UL
W	25 cm / 9.80"		
D	17,5 cm / 6.90"		
H	44 cm / 17.30"		
STANDARD INTEGRATED LED LIGHTING			
5,4 W CRI>90		3000 K – 688 NOMINAL LM	
ON REQUEST			
5,4 W CRI>90		2700 K – 653 NOMINAL LM	
DIMMABLE			
TRIAC			



VOLLEE C4 G



VOLLEE C2+2



VOLLEE C5 P



STANDARD INTEGRATED LED LIGHTING

25,6 W CRI>90  
3000 K – 3200 NOMINAL LM

ON REQUEST

25,6 W CRI>90  
2700 K – 3040 NOMINAL LM

DIMMABLE

0- 10V

STANDARD INTEGRATED LED LIGHTING

25,6 W CRI>90  
3000 K – 3200 NOMINAL LM

ON REQUEST

25,6 W CRI>90  
2700 K – 3040 NOMINAL LM

DIMMABLE

0- 10V

STANDARD INTEGRATED LED LIGHTING




31 W CRI>90  
3000 K – 3900 NOMINAL LM

ON REQUEST


31 W CRI>90  
2700 K – 3705 NOMINAL LM

DIMMABLE


0- 10V




SUGGESTED CONFIGURATION FOR C4 G




SUGGESTED CONFIGURATION FOR C 2+2



SUGGESTED CONFIGURATION FOR C5 P



SUGGESTED CONFIGURATION FOR C5 P X4



**VOLLEE C2G LN 75**




W 75 cm / 29.50"  
 D 20 cm / 7.90"  
 H MAX 240 cm / 94.50"

STANDARD INTEGRATED LED LIGHTING  
 12,8 W CRI>90  
 3000 K – 1600 NOMINAL LM

ON REQUEST  
 12,8 W CRI>90  
 2700 K – 1520 NOMINAL LM

DIMMABLE  
 0- 10V



**VOLLEE C4P LN 125**




W 125 cm / 49.20"  
 D 20 cm / 7.90"  
 H MAX 200 cm / 78.70"

STANDARD INTEGRATED LED LIGHTING  
 25,6 W CRI>90  
 3000 K – 3200 NOMINAL LM

ON REQUEST  
 25,6 W CRI>90  
 2700 K – 3040 NOMINAL LM

DIMMABLE  
 0- 10V



**VOLLEE C4G RD 60**




ø 96 cm / 37.80"  
 H 240 cm / 94.50"

STANDARD INTEGRATED LED LIGHTING  
 25,6 W CRI>90  
 3000 K – 3200 NOMINAL LM

ON REQUEST  
 25,6 W CRI>90  
 2700 K – 3040 NOMINAL LM

DIMMABLE  
 0- 10V



**VOLLEE C4P RD 60**




ø 60 cm / 23.60"  
 H 200 cm / 78.70"

STANDARD INTEGRATED LED LIGHTING  
 25,6 W CRI>90  
 3000 K – 3200 NOMINAL LM

ON REQUEST  
 25,6 W CRI>90  
 2700 K – 3040 NOMINAL LM

DIMMABLE  
 0- 10V



**VOLLEE C8P RD 80**




ø 80 cm / 31.50"  
 H 200 cm / 78.70"


STANDARD INTEGRATED LED LIGHTING  
 52,8 W CRI>90  
 3000 K – 6600 NOMINAL LM

ON REQUEST  
 52,8 W CRI>90  
 2700 K – 6270 NOMINAL LM

DIMMABLE  
 0- 10V




SINGLE CANOPY




SIZE	FRAME FINISHINGS	CANOPIY FINISHINGS	PRODUCT NAME
Ø 25 cm / 9.80"	● V95 ● V90 ● V99	● V91 + ● V98	VOLLEE S1 P UP/DOWN
H 3 cm / 1.20"			VOLLEE S1 G

SINGLE CANOPY




SIZE	FRAME FINISHINGS	CANOPIY FINISHINGS	PRODUCT NAME
Ø 18 cm / 7.10"	● V95 ● V90 ● V99	● V91	VOLLEE C4 G
H 4 cm / 1.60"			VOLLEE C2+2

SINGLE CANOPY




SIZE	FRAME FINISHINGS	CANOPIY FINISHINGS	PRODUCT NAME
Ø 18 cm / 7.10"	● V95 ● V90 ● V99	● V91	VOLLEE C5 P
H 4 cm / 1.60"			

LINEAR CANOPY LN 75




SIZE	FINISHINGS	PRODUCT NAME
W 75 cm / 29.50"	V98	VOLLEE C2G LN 75
D 20 cm / 7.90"		
H 4 cm / 1.60"		

LINEAR CANOPY LN 125




SIZE	FINISHINGS	PRODUCT NAME
W 125 cm / 49.20"	V98	VOLLEE C4P LN 125
D 20 cm / 7.90"		
H 4 cm / 1.60"		

ROUND CANOPY RD 60




SIZE	FINISHINGS	PRODUCT NAME
Ø 60 cm / 23.60"	V98	VOLLEE C4P RD 60
H 4 cm / 1.60"		

ROUND CANOPY RD 60



SIZE	FINISHINGS	PRODUCT NAME
Ø 60 cm / 23.60"	V98	VOLLEE C4G RD 60
H 4 cm / 1.60"		

ROUND CANOPY RD 80



SIZE	FINISHINGS	PRODUCT NAME
Ø 80 cm / 31.50"	V98	VOLLEE C8P RD 80
H 4 cm / 1.60"		