

Struttura in metallo
con diffusore in onice
naturale.
Illuminazione a LED.

Metal frame with natural
onyx diffuser.
LED lighting.

Gestell aus Metall mit
Diffusor aus natürlichem
Onyx. LED-Beleuchtung.

Structure en métal avec
diffuseur en onyx naturel.
Éclairage à LED.

**МЕТАЛЛИЧЕСКИЙ КАРКАС
С РАССЕЙВАТЕЛЕМ ИЗ
ПРИРОДНОГО ОНИКСА.
СВЕТОДИОДНОЕ
ОСВЕЩЕНИЕ.**

Finishings



V99 Oro opaco verniciato
Painted matt gold




G01 Brunito*
Burnished


**Not available for Honicè S80 and Honicè S50*

Family


Suspension




Applique



Standard cables for all suspensions




HONICÉ S200




L	200 cm / 78.74"
SP	8 cm / 3.14"
H	33 cm / 12.99"
.....	
UP	LED x 21.1W CRI>95 3000K - 1944 Nominal lm
DOWN	LED x 44.46 W CRI>95 3000K - 4104 Nominal lm
Dimmable: 0-10V	

HONICÉ S150




L	150 cm / 59.05"
SP	8 cm / 3.14"
H	33 cm / 12.99"
.....	
UP	LED x 17W CRI>95 3000K - 1296 Nominal lm
DOWN	LED x 33.5W CRI>95 3000K - 3024 Nominal lm
Dimmable: 0-10V	

HONICÉ S100




L	100 cm / 39.37"
SP	8 cm / 3.14"
H	33 cm / 12.99"
.....	
UP	LED x 9.36W CRI>95 3000K - 864 Nominal lm
DOWN	LED x 21.1 W CRI>95 3000K - 1944 Nominal lm
Dimmable: 0-10V	

HONICÉ S70




L	70 cm / 27.55"
SP	8 cm / 3.14"
H	33 cm / 12.99"
.....	
UP	LED x 7W CRI >95 3000K - 927 Nominal lm
DOWN	LED x 15W CRI >95 3000K 2008 Nominal lm
Dimmable: 0-10V	

HONICÉ S80





L	80 cm / 31.49"
SP	80 cm / 31.49"
H	33 cm / 12.99"
.....	
UP	LED x 28.1W CRI>95 3000K - 3024 Nominal lm
DOWN	LED x 60.85 W CRI>95 3000K - 5184 Nominal lm
Dimmable: 0-10V	

HONICÉ S50



L	50 cm / 19.68"
SP	50 cm / 19.68"
H	33 cm / 12.99"
.....	
UP	LED x 15.21W CRI>95 3000K - 1404 Nominal lm
DOWN	LED x 32.76 W CRI>95 3000K - 3024 Nominal lm
Dimmable: 0-10V	

HONICÉ A65**HONICÉ A37**

L 65 cm / 25.59"
SP 10 cm / 3.93"
H 33 cm / 12.99"

L 37 cm / 14.56"
SP 10 cm / 3.93"
H 33 cm / 12.99"

UP LED x 5.8W CRI>95
 3000K - 594 Nominal lm
DOWN LED x 5.8 W CRI>95
 3000K - 594 Nominal lm
Dimmable: 1-10V+PUSH

UP LED x 3.51W CRI>95
 3000K - 324 Nominal lm
DOWN LED x 3.51 W CRI>95
 3000K - 324 Nominal lm
Dimmable: 1-10V+PUSH