


Libe

SUSPENSION
APPLIQUE



Telaio in metallo galvanizzato con diffusore in losanghe di cristallo opaco. Illuminazione LED.

Galvanised metal frame with a matt crystal lozenge diffuser. LED lighting.

Gestell aus galvanisch beschichtetem Metall mit Diffusor in matten Kristallrauten. LED-Leuchtmittel.

Marco de metal galvanizado con difusor en pastillas de cristal opaco. Iluminación LED.

Structure en métal galvanisé avec diffuseur en losanges en cristal mat. Éclairage à LED.

Каркас из оцинкованного металла с рассеивателем из пластин матового хрусталя. Светодиодный светильник.

电镀金属灯架, 带不透明水晶菱形散光罩。LED 灯。

إطار معدني مجلفن مع ناشر من المعينات الكريستالية غير شفافة. الإنارة ليد.


FINISHINGS

STANDARD



G14 Ottone brunito
Burnished brass

STANDARD CABLES




LIBE S160 

W 160 cm / 63.00"
D 16 cm / 6.30"
H 30 cm / 11.80"

STANDARD INTEGRATED LED LIGHTING
104 W CRI>90
3000 K – 9770 NOMINAL LM

ON REQUEST
104 W CRI>90
2700 K – 9280 NOMINAL LM

DIMMABLE
1-10V




LIBE S100 

W 100 cm / 39.40"
D 16 cm / 6.30"
H 20 cm / 7.90"

STANDARD INTEGRATED LED LIGHTING
63 W CRI>90
3000 K – 5922 NOMINAL LM

ON REQUEST
63 W CRI>90
2700 K – 5620 NOMINAL LM

DIMMABLE
0-10V




LIBE ROUND S140 


∅ 140 cm / 55.10"
H 8,5 cm / 3.30"

STANDARD INTEGRATED LED LIGHTING
144 W CRI>90
3000 K – 13536 NOMINAL LM

ON REQUEST
144 W CRI>90
2700 K – 12850 NOMINAL LM

DIMMABLE
1-10V




LIBE ROUND S115 


∅ 115 cm / 45.30"
H 8,5 cm / 3.30"

STANDARD INTEGRATED LED LIGHTING
116 W CRI>90
3000 K – 10904 NOMINAL LM

ON REQUEST
116 W CRI>90
2700 K – 10350 NOMINAL LM

DIMMABLE
1-10V




LIBE ROUND S90 


∅ 90 cm / 35.40"
H 8,5 cm / 3.30"

STANDARD INTEGRATED LED LIGHTING
90 W CRI>90
3000 K – 8460 NOMINAL LM

ON REQUEST
90 W CRI>90
2700 K – 8030 NOMINAL LM

DIMMABLE
0-10V




LIBE ROUND S60 


∅ 60 cm / 23.60"
H 8,5 cm / 3.30"

STANDARD INTEGRATED LED LIGHTING
59 W CRI>90
3000 K – 5546 NOMINAL LM

ON REQUEST
59 W CRI>90
2700 K – 5264 NOMINAL LM

DIMMABLE
0-10V




LIBE ELLIPSE S120 


W 120 cm / 47.20"
D 40 cm / 15.70"
H 8,5 cm / 3.30"

STANDARD INTEGRATED LED LIGHTING
86,5 W CRI>90
3000 K – 8131 NOMINAL LM

ON REQUEST
86,5 W CRI>90
2700 K – 7720 NOMINAL LM

DIMMABLE
0-10V




LIBE ELLIPSE S90 

W 90 cm / 35.40"
D 30 cm / 11.80"
H 8,5 cm / 3.30"

STANDARD INTEGRATED LED LIGHTING
62,5 W CRI>90
3000 K – 5875 NOMINAL LM

ON REQUEST
62,5 W CRI>90
2700 K – 5580 NOMINAL LM

DIMMABLE
0-10V



Ⓜ : for the US market, refer to the relevant price list.

LIBE A55



W 55 cm / 21.70"

D 8 cm / 3.10"

H 8,5 cm / 3.30"

STANDARD INTEGRATED LED LIGHTING

7 W CRI>90

3000 K – 658 NOMINAL LM


ON REQUEST

7 W CRI>90


2700 K – 625 NOMINAL LM

DIMMABLE

NO




SINGLE CANOPY




SIZE	
∅	27,5 cm / 10.80"
H	9 cm / 3.50"

FINISHINGS
● G14

PRODUCT NAME
LIBE ROUND S140
LIBE ROUND S115
LIBE ROUND S90
LIBE ROUND S60



SINGLE CANOPY



SIZE	
∅	27,5 cm / 10.80"
H	9 cm / 3.50"

FINISHINGS
● G14

PRODUCT NAME
LIBE S100
LIBE S160
LIBE ELLIPSE S90
LIBE ELLIPSE S120

