


Olà

SUSPENSION
CEILING
APPLIQUE
TABLE LAMP
FLOOR LAMP



Struttura in metallo verniciato con pendagli.
Painted metal frame with pendants.
Gestell aus lackiertem Metall mit Behang.
Estructura de metal pintado con colgantes.
Structure en métal verni avec pampilles.
Металлический окрашенный каркас с подвесками.
这种灯具的结构是涂漆的金属, 而且它有水晶吊坠们。

هيكل معدني مطلي مع دلايات.

FINISHINGS

STANDARD



G01 Burnished frame amber pendants



F03 Copper leaf frame copper pendants



V83 Matt bronze frame warm pendants



F01 Gold leaf frame amber pendants



V90 Matt black frame smoky pendants



V95 Matt white frame cold pendants



F02 Silver leaf frame transparent pendants

PENDANTS

STANDARD



TRANSPARENT



COLD



AMBER



COPPER




WARM




SMOKY


STANDARD CABLES



OLÀ S12 120


∅ 120 cm / 47.20"
H 20 cm / 7.90"

STANDARD LIGHTING 
12×E27×20 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 
UP 15,6 W CRI>95
3000 K – 1536 NOMINAL LM
DOWN 62,4 W CRI>95
3000 K – 6144 NOMINAL LM


ON REQUEST
UP 15,6 W CRI>95
2700 K – 1464 NOMINAL LM
DOWN 62,4 W CRI>95
2700 K – 5856 NOMINAL LM


DIMMABLE
1-10V



OLÀ S6 90


∅ 90 cm / 35.40"
H 20 cm / 7.90"

STANDARD LIGHTING 
8×E27×20 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 
UP 10,4 W CRI>95
3000 K – 1024 NOMINAL LM
DOWN 31,2 W CRI>95
3000 K – 3072 NOMINAL LM


ON REQUEST
UP 10,4 W CRI>95
2700 K – 976 NOMINAL LM
DOWN 31,2 W CRI>95
2700 K – 2928 NOMINAL LM


DIMMABLE
1-10V



OLÀ S6 60


∅ 60 cm / 23.60"
H 20 cm / 7.90"

STANDARD LIGHTING 
6×E27×20 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 
UP 7,8 W CRI>95
3000 K – 768 NOMINAL LM
DOWN 23,4 W CRI>95
3000 K – 2304 NOMINAL LM


ON REQUEST
UP 7,8 W CRI>95
2700 K – 732 NOMINAL LM
DOWN 23,4 W CRI>95
2700 K – 2196 NOMINAL LM


DIMMABLE
1-10V



OLÀ S6 40


∅ 40 cm / 15.70"
H 20 cm / 7.90"

STANDARD LIGHTING 
6×E14×10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 
UP 13,7 W CRI>95
3000 K – 1348 NOMINAL LM
DOWN 13,7 W CRI>95
3000 K – 1348 NOMINAL LM

ON REQUEST
UP 13,7 W CRI>95
2700 K – 1285 NOMINAL LM
DOWN 13,7 W CRI>95
2700 K – 1285 NOMINAL LM


DIMMABLE
1-10V



OLÀ S2 15


∅ 15 cm / 5.90"
H 26 cm / 10.20"

STANDARD LIGHTING 
2×G9×10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 
DOWN 7,5 W CRI>90
3000 K – 1080 NOMINAL LM

ON REQUEST
DOWN 7,5 W CRI>90
2700 K – 1026 NOMINAL LM


DIMMABLE
1-10V + PUSH




Ⓜ : for the US market, refer to the relevant price list.

OLÀ S8 OV 210


W 210 cm / 82.70"
 D 20 cm / 7.90"
 H 20 cm / 7.90"

STANDARD LIGHTING 
 8×E14×10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 
 UP 15,6 W CRI>95
 3000 K – 1536 NOMINAL LM
 DOWN 70,2 W CRI>95
 3000 K – 6912 NOMINAL LM


ON REQUEST
 UP 15,6 W CRI>95
 2700 K – 1464 NOMINAL LM
 DOWN 70,2 W CRI>95
 2700 K – 6588 NOMINAL LM


DIMMABLE
 0-10V



OLÀ S6 OV 160


W 160 cm / 63.00"
 D 14 cm / 5.50"
 H 20 cm / 7.90"

STANDARD LIGHTING 
 6×E14×10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 
 UP 10,4 W CRI>95
 3000 K – 1024 NOMINAL LM
 DOWN 50,7 W CRI>95
 3000 K – 4992 NOMINAL LM


ON REQUEST
 UP 10,4 W CRI>95
 2700 K – 976 NOMINAL LM
 DOWN 50,7 W CRI>95
 2700 K – 4758 NOMINAL LM


DIMMABLE
 0-10V



OLÀ S4 OV 100


W 100 cm / 39.40"
 D 13 cm / 5.10"
 H 20 cm / 7.90"

STANDARD LIGHTING 
 4×E14×10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 
 UP 5,2 W CRI>95
 3000 K – 512 NOMINAL LM
 DOWN 25,35 W CRI>95
 3000 K – 2496 NOMINAL LM


ON REQUEST
 UP 5,2 W CRI>95
 2700 K – 488 NOMINAL LM
 DOWN 25,35 W CRI>95
 2700 K – 2379 NOMINAL LM


DIMMABLE
 1-10V



OLÀ S2 OV 50


W 50 cm / 19.70"
 D 8 cm / 3.10"
 H 18 cm / 7.10"

STANDARD LIGHTING 
 2×E27×20 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 
 UP 5,2 W CRI>95
 3000 K – 512 NOMINAL LM
 DOWN 7,8 W CRI>95
 3000 K – 768 NOMINAL LM


ON REQUEST
 UP 5,2 W CRI>95
 2700 K – 488 NOMINAL LM
 DOWN 7,8 W CRI>95
 2700 K – 732 NOMINAL LM


DIMMABLE
 1-10V + PUSH



OLÀ S1 OV 30


W 30 cm / 11.80"
 D 7 cm / 2.80"
 H 18 cm / 7.10"

STANDARD LIGHTING 
 1×E14×10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 
 UP 4 W CRI>95
 3000 K – 390 NOMINAL LM
 DOWN 4 W CRI>95
 3000 K – 390 NOMINAL LM

ON REQUEST
 UP 4 W CRI>95
 2700 K – 375 NOMINAL LM
 DOWN 4 W CRI>95
 2700 K – 375 NOMINAL LM


DIMMABLE
 1-10V + PUSH



 : for the US market, refer to the relevant price list.

OLÀ PL12 120


Ø 120 cm / 47.20"
H 26 cm / 10.20"

STANDARD LIGHTING 
12×E27×20 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 
DOWN 62,4 W CRI>95
3000 K – 6144 NOMINAL LM


ON REQUEST
DOWN 62,4 W CRI>95
2700 K – 5856 NOMINAL LM


DIMMABLE
1-10V



OLÀ PL6 90


Ø 90 cm / 35.40"
H 26 cm / 10.20"

STANDARD LIGHTING 
8×E27×20 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 
DOWN 31,2 W CRI>95
3000 K – 3072 NOMINAL LM


ON REQUEST
DOWN 31,2 W CRI>95
2700 K – 2928 NOMINAL LM


DIMMABLE
1-10V



OLÀ PL6 60

Ø 60 cm / 23.60"
H 26 cm / 10.20"

STANDARD LIGHTING 
6×E27×20 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 
DOWN 23,4 W CRI>95
3000 K – 2304 NOMINAL LM


ON REQUEST
DOWN 23,4 W CRI>95
2700 K – 2196 NOMINAL LM

DIMMABLE
1-10V



OLÀ PL6 40

Ø 40 cm / 15.70"
H 26 cm / 10.20"

STANDARD LIGHTING 
6×E14×10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 
DOWN 13,7 W CRI>95
3000 K – 1348 NOMINAL LM

ON REQUEST
DOWN 13,7 W CRI>95
2700 K – 1285 NOMINAL LM

DIMMABLE
1-10V



OLÀ PL8 OV 210


W 210 cm / 82.70"
D 20 cm / 7.907"
H 26 cm / 10.20"

STANDARD LIGHTING 
8×E14×10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 
DOWN 70,2 W CRI>95
3000 K – 6912 NOMINAL LM


ON REQUEST
DOWN 70,2 W CRI>95
2700 K – 6588 NOMINAL LM


DIMMABLE
1-10V



OLÀ PL6 OV 160


W 160 cm / 63.00"
D 13 cm / 5.10"
H 26 cm / 10.20"

STANDARD LIGHTING 
6×E14×10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 
DOWN 50,7 W CRI>95
3000 K – 4992 NOMINAL LM


ON REQUEST
DOWN 50,7 W CRI>95
2700 K – 4758 NOMINAL LM

DIMMABLE
1-10V



OLÀ PL4 OV 100


W 100 cm / 39.40"
D 13 cm / 5.10"
H 26 cm / 10.20"

STANDARD LIGHTING 
4×E14×10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 
DOWN 25,35 W CRI>95
3000 K – 2496 NOMINAL LM

ON REQUEST
DOWN 25,35 W CRI>95
2700 K – 2379 NOMINAL LM


DIMMABLE
1-10V




: for the US market, refer to the relevant price list.

OLÀ A6 OV 160


W 160 cm / 63.00"
D 20 cm / 7.90"
H 20 cm / 7.90"

STANDARD LIGHTING 
6×E14×10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 
UP 10,4 W CRI>95
3000 K – 1024 NOMINAL LM
DOWN 50,7 W CRI>95
3000 K – 4992 NOMINAL LM


ON REQUEST
UP 10,4 W CRI>95
2700 K – 976 NOMINAL LM
DOWN 50,7 W CRI>95
2700 K – 4758 NOMINAL LM


DIMMABLE
NO



OLÀ A2 OV 70


W 70 cm / 27.60"
D 15 cm / 5.90"
H 20 cm / 7.90"

STANDARD LIGHTING 
2×E27×20 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 
UP 11,7 W CRI>95
3000 K – 1152 NOMINAL LM
DOWN 19,5 W CRI>95
3000 K – 1920 NOMINAL LM


ON REQUEST
UP 11,7 W CRI>95
2700 K – 1098 NOMINAL LM
DOWN 19,5 W CRI>95
2700 K – 1830 NOMINAL LM


DIMMABLE
NO



OLÀ A2 OV 50


W 50 cm / 19.70"
D 12 cm / 4.70"
H 18 cm / 7.10"

STANDARD LIGHTING 
2×E27×20 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 
UP 5,2 W CRI>95
3000 K – 512 NOMINAL LM
DOWN 7,8 W CRI>95
3000 K – 768 NOMINAL LM

ON REQUEST
UP 5,2 W CRI>95
2700 K – 488 NOMINAL LM
DOWN 7,8 W CRI>95
2700 K – 732 NOMINAL LM


DIMMABLE
1-10V + PUSH



OLÀ A1 OV 30


W 30 cm / 11.80"
D 10 cm / 3.90"
H 18 cm / 7.10"

STANDARD LIGHTING 
1×E14×10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 
UP 4 W CRI>95
3000 K – 390 NOMINAL LM
DOWN 4 W CRI>95
3000 K – 390 NOMINAL LM


ON REQUEST
UP 4 W CRI>95
2700 K – 375 NOMINAL LM
DOWN 4 W CRI>95
2700 K – 375 NOMINAL LM


DIMMABLE
1-10V + PUSH



OLÀ TL2


W 50 cm / 19.70"
D 16 cm / 6.30"
H 50 cm / 19.70"

STANDARD LIGHTING 
2×E27×20 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 
UP 5,2 W CRI>95
3000 K – 512 NOMINAL LM
DOWN 7,8 W CRI>95
3000 K – 768 NOMINAL LM


ON REQUEST
UP 5,2 W CRI>95
2700 K – 488 NOMINAL LM
DOWN 7,8 W CRI>95
2700 K – 732 NOMINAL LM


DIMMABLE
OWN BUTTON



OLÀ STL2


W 50 cm / 19.70"
D 24 cm / 9.40"
H 180 cm / 70.90"


STANDARD LIGHTING 
2×E27×20 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 
UP 5,2 W CRI>95
3000 K – 512 NOMINAL LM
DOWN 7,8 W CRI>95
3000 K – 768 NOMINAL LM

ON REQUEST
UP 5,2 W CRI>95
2700 K – 488 NOMINAL LM
DOWN 7,8 W CRI>95
2700 K – 732 NOMINAL LM

DIMMABLE
OWN BUTTON



 : for the US market, refer to the relevant price list.
* ETL ONLY FOR US MARKET.

OLÀ C3 LN 75


W 75 cm / 29.50"
 D 20 cm / 7.90"
 H MAX 180 cm / 70.90"

STANDARD LIGHTING 
 6xG9x10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 
 DOWN 22,5 W CRI>90
 3000 K – 3240 NOMINAL LM


ON REQUEST
 DOWN 22,5 W CRI>90
 2700 K – 3078 NOMINAL LM


DIMMABLE
 1-10V + PUSH



OLÀ C5 LN 125


W 125 cm / 49.201"
 D 20 cm / 7.90"
 H MAX 180 cm / 70.90"

STANDARD LIGHTING 
 10xG9x10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 
 DOWN 37,5 W CRI>90
 3000 K – 5400 NOMINAL LM


ON REQUEST
 DOWN 37,5 W CRI>90
 2700 K – 5130 NOMINAL LM


DIMMABLE
 1-10V + DALI + PUSH



OLÀ C7 LN 175


W 175 cm / 68.90"
 D 20 cm / 7.90"
 H MAX 180 cm / 70.90"

STANDARD LIGHTING 
 14xG9x10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 
 DOWN 52,5 W CRI>90
 3000 K – 7560 NOMINAL LM

ON REQUEST
 DOWN 52,5 W CRI>90
 2700 K – 7182 NOMINAL LM

DIMMABLE
 1-10V + DALI + PUSH



OLÀ C3 RD 40


ø 40 cm / 15.70"
 H MAX 180 cm / 70.90"

STANDARD LIGHTING 
 6xG9x10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 
 DOWN 22,5 W CRI>90
 3000 K – 3240 NOMINAL LM


ON REQUEST
 DOWN 22,5 W CRI>90
 2700 K – 3078 NOMINAL LM

DIMMABLE
 1-10V + PUSH



OLÀ C5 RD 60


ø 60 cm / 23.60"
 H MAX 180 cm / 70.90"

STANDARD LIGHTING 
 10xG9x10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 
 DOWN 37,5 W CRI>90
 3000 K – 5400 NOMINAL LM


ON REQUEST
 DOWN 37,5 W CRI>90
 2700 K – 5130 NOMINAL LM

DIMMABLE
 1-10V + DALI + PUSH



OLÀ C7 RD 80


ø 80 cm / 31.50"
 H MAX 180 cm / 70.90"

STANDARD LIGHTING 
 14xG9x10 W MAX (NOT INCL.)

STANDARD INTEGRATED LED LIGHTING 
 DOWN 52,5 W CRI>90
 3000 K – 7560 NOMINAL LM

ON REQUEST
 DOWN 52,5 W CRI>90
 2700 K – 7182 NOMINAL LM

DIMMABLE
 1-10V + DALI + PUSH



Ⓜ : for the US market, refer to the relevant price list.

SINGLE CANOPY

SIZE		FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME	LIGHTING
∅	10 cm / 3.90"	V95	V95	OLÁ S2 15	STANDARD
H	3,2 cm / 1.30"	V83	V83	OLÁ S1 OV 30	STANDARD
		V90	V90	OLÁ S4 OV 100	STANDARD
		F01	F01	OLÁ S8 OV 210	STANDARD
		F02	F02	OLÁ S2 OV 50	STANDARD
		F03	F03	OLÁ S6 OV 160	STANDARD
		G01	G01	OLÁ S12 120	STANDARD


SINGLE CANOPY

SIZE		FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME	LIGHTING
∅	15 cm / 5.90"	V95	V95	OLÁ S6 40	STANDARD
H	3 cm / 1.20"	V83	V83	OLÁ S6 60	STANDARD
		V90	V90	OLÁ S6 90	STANDARD
		F01	F01		
		F02	F02		
		F03	F03		
		G01	G01		

STANDARD LIGHTING: THE COLOR OF THE CABLE CHANGES ACCORDING TO THE FRAME


SINGLE CANOPY/LED LIGHTING

SIZE		FRAME FINISHINGS	CANOPIY FINISHINGS	PRODUCT NAME	LIGHTING
Ø	12 cm / 4.70"	● V95	● V95	OLÁ S2 15	LED
H	4 cm / 1.60"	● V83	● V83		
		● V90	● V90		
		● F01	● F01		
		● F02	● F02		
		● F03	● F03		
		● G01	● G01		




SINGLE CANOPY/LED LIGHTING

SIZE		FRAME FINISHINGS	CANOPIY FINISHINGS	PRODUCT NAME	LIGHTING
Ø	14 cm / 5.50"	● V95	● V95	OLÁ S1 OV 30	LED
H	3,2 cm / 1.30"	● V83	● V83	OLÁ S2 OV 50	LED
		● V90	● V90		
		● F01	● F01		
		● F02	● F02		
		● F03	● F03		
		● G01	● G01		




SINGLE CANOPY/LED LIGHTING

SIZE		FRAME FINISHINGS	CANOPIY FINISHINGS	PRODUCT NAME	LIGHTING
Ø	20 cm / 7.90"	● V95	● V95	OLÁ S6 40	LED
H	4,2 cm / 1.70"	● V83	● V83	OLÁ S6 60	LED
		● V90	● V90	OLÁ S6 90	LED
		● F01	● F01		
		● F02	● F02		
		● F03	● F03		
		● G01	● G01		




SINGLE CANOPY/LED LIGHTING

SIZE		FRAME FINISHINGS	CANOPIY FINISHINGS	PRODUCT NAME	LIGHTING
Ø	26 cm / 10.20"	● V95	● V95	OLÁ S12 120	LED
H	5,2 cm / 2.00"	● V83	● V83		
		● V90	● V90		
		● F01	● F01		
		● F02	● F02		
		● F03	● F03		
		● G01	● G01		



SINGLE CANOPY/LED LIGHTING

SIZE		FRAME FINISHINGS	CANOPIY FINISHINGS	PRODUCT NAME	LIGHTING
W	35,5 cm / 14.00"	● V95	● V95	OLÁ S6 OV 100	LED
D	8 cm / 3.10"	● V83	● V83	OLÁ S6 OV 160	LED
H	5,2 cm / 2.00"	● V90	● V90	OLÁ S8 OV 210	LED
		● F01	● F01		
		● F02	● F02		
		● F03	● F03		
		● G01	● G01		



LINEAR CANOPY LN 75

	SIZE	FINISHINGS	PRODUCT NAME
	W	75 cm / 29.50"	● V98
	D	20 cm / 7.90"	
	H	4 cm / 1.60"	

LINEAR CANOPY LN 125

	SIZE	FINISHINGS	PRODUCT NAME
	W	125 cm / 49.20"	● V98
	D	20 cm / 7.90"	
	H	4 cm / 1.60"	

LINEAR CANOPY LN 175

	SIZE	FINISHINGS	PRODUCT NAME
	W	175 cm / 68.90"	● V98
	D	20 cm / 7.90"	
	H	4 cm / 1.60"	

ROUND CANOPY RD 40

	SIZE	FINISHINGS	PRODUCT NAME	
	Ø	40 cm / 15.70"	● V98	
	H	4 cm / 1.60"		
				OLÀ C3 RD 40

ROUND CANOPY RD 60

	SIZE	FINISHINGS	PRODUCT NAME	
	Ø	60 cm / 23.60"	● V98	
	H	4 cm / 1.60"		
				OLÀ C5 RD 60

ROUND CANOPY RD 80

	SIZE	FINISHINGS	PRODUCT NAME	
	Ø	80 cm / 31.50"	● V98	
	H	4 cm / 1.60"		
				OLÀ C7 RD 80

STANDARD LIGHTING: THE COLOR OF THE CABLE
CHANGES ACCORDING TO THE FRAME
INTEGRATED LED LIGHTING: "TRANSPARENT" CABLE