

# Vollee

SUSPENSION




Struttura in metallo verniciato.  
Illuminazione a LED.  
Painted metal frame. LED Lighting.  
Gestell aus lackiertem Metall.  
LED-Beleuchtung.  
Estructura de metal Pintado.  
Iluminación LED.  
Structure en métal peint. LED  
éclairage.  
Структура из окрашенного  
металла. Светодиодное  
освещение.  
这种灯具的结构是涂漆的金属。LED  
照明。

هيكل معدني مطلي.  
إضاءة ليد.

## FINISHINGS

### STANDARD



v95 Bianco opaco  
Matt white





v90 Nero opaco  
Matt black





v99 Oro opaco verniciato  
Painted matt gold


## STANDARD CABLES





		CE 
<b>VOLLEE S1G</b>		
W	52 cm / 20.50"	
D	36 cm / 14.20"	
H	88 cm / 34.60"	
STANDARD INTEGRATED LED LIGHTING		
	7,5 W CRI>90	
	3000 K – 915 NOMINAL LM	
ON REQUEST		
	7,5 W CRI>90	
	2700 K – 869 NOMINAL LM	
DIMMABLE		
	NO	



		CE 
<b>VOLLEE S1P DOWN</b>		
W	25 cm / 9.80"	
D	17,5 cm / 6.90"	
H	44 cm / 17.30"	
STANDARD INTEGRATED LED LIGHTING		
	6,6 W CRI>90	
	3000 K – 825 NOMINAL LM	
ON REQUEST		
	6,6 W CRI>90	
	2700 K – 783 NOMINAL LM	
DIMMABLE		
	NO	



		CE 
<b>VOLLEE S1P UP</b>		
W	25 cm / 9.80"	
D	17,5 cm / 6.90"	
H	44 cm / 17.30"	
STANDARD INTEGRATED LED LIGHTING		
	6,6 W CRI>90	
	3000 K – 825 NOMINAL LM	
ON REQUEST		
	6,6 W CRI>90	
	2700 K – 783 NOMINAL LM	
DIMMABLE		
	NO	



VOLLEE C4 G



VOLLEE C2+2






VOLLEE C5 P




STANDARD INTEGRATED LED LIGHTING
25,6 W CRI>90 3000 K – 3200 NOMINAL LM
ON REQUEST
25,6 W CRI>90 2700 K – 3040 NOMINAL LM
DIMMABLE
1-10V + PUSH

STANDARD INTEGRATED LED LIGHTING
25,6 W CRI>90 3000 K – 3200 NOMINAL LM
ON REQUEST
25,6 W CRI>90 2700 K – 3040 NOMINAL LM
DIMMABLE
1-10V + PUSH


STANDARD INTEGRATED LED LIGHTING
31 W CRI>90 3000 K – 3900 NOMINAL LM
ON REQUEST
31 W CRI>90 2700 K – 3705 NOMINAL LM
DIMMABLE
1-10V + DALI + PUSH




SUGGESTED CONFIGURATION FOR C4 G




SUGGESTED CONFIGURATION FOR C 2+2



SUGGESTED CONFIGURATION FOR C5 P



SUGGESTED CONFIGURATION FOR C5 P X4



Ⓢ : for the US market, refer to the relevant price list.


**VOLLEE C2G LN 75** 


W 75 cm / 29.50"  
 D 20 cm / 7.90"  
 H MAX 240 cm / 94.50"

STANDARD INTEGRATED LED LIGHTING  
 12,8 W CRI>90  
 3000 K – 1600 NOMINAL LM

ON REQUEST  
 12,8 W CRI>90  
 2700 K – 1520 NOMINAL LM

DIMMABLE  
 1-10V + PUSH




**VOLLEE C4P LN 125** 


W 125 cm / 49.20"  
 D 20 cm / 7.90"  
 H MAX 200 cm / 78.70"

STANDARD INTEGRATED LED LIGHTING  
 25,6 W CRI>90  
 3000 K – 3200 NOMINAL LM

ON REQUEST  
 25,6 W CRI>90  
 2700 K – 3040 NOMINAL LM

DIMMABLE  
 1-10V + PUSH




**VOLLEE C4G RD 60** 


ø 96 cm / 37.80"  
 H 240 cm / 94.50"

STANDARD INTEGRATED LED LIGHTING  
 25,6 W CRI>90  
 3000 K – 3200 NOMINAL LM

ON REQUEST  
 25,6 W CRI>90  
 2700 K – 3040 NOMINAL LM

DIMMABLE  
 1-10V + PUSH




**VOLLEE C4P RD 60** 


ø 60 cm / 23.60"  
 H 200 cm / 78.70"

STANDARD INTEGRATED LED LIGHTING  
 25,6 W CRI>90  
 3000 K – 3200 NOMINAL LM

ON REQUEST  
 25,6 W CRI>90  
 2700 K – 3040 NOMINAL LM

DIMMABLE  
 1-10V + PUSH




**VOLLEE C8P RD 80** 

ø 80 cm / 31.50"  
 H 200 cm / 78.70"

STANDARD INTEGRATED LED LIGHTING  
 52,8 W CRI>90  
 3000 K – 6600 NOMINAL LM


ON REQUEST  
 52,8 W CRI>90  
 2700 K – 6270 NOMINAL LM

DIMMABLE  
 1-10V + DALI + PUSH




 : for the US market, refer to the relevant price list.

## SINGLE CANOPY




SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME
Ø 25 cm / 9.80"	● V95 ● V90 ● V99	● V91 + ● V98	VOLLEE S1 P UP/DOWN
H 3 cm / 1.20"			VOLLEE S1 G

## SINGLE CANOPY




SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME
Ø 18 cm / 7.10"	● V95 ● V90 ● V99	● V91	VOLLEE C4 G
H 4 cm / 1.60"			VOLLEE C2+2

## SINGLE CANOPY




SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME
Ø 18 cm / 7.10"	● V95 ● V90 ● V99	● V91	VOLLEE C5 P
H 4 cm / 1.60"			


LINEAR CANOPY LN 75

	SIZE	FINISHINGS	PRODUCT NAME
	W	75 cm / 29.50"	● V98 VOLLEE C2G LN 75
	D	20 cm / 7.90"	
	H	4 cm / 1.60"	


LINEAR CANOPY LN 125

	SIZE	FINISHINGS	PRODUCT NAME
	W	125 cm / 49.20"	● V98 VOLLEE C4P LN 125
	D	20 cm / 7.90"	
	H	4 cm / 1.60"	


ROUND CANOPY RD 60

	SIZE	FINISHINGS	PRODUCT NAME
	Ø	60 cm / 23.60"	● V98 VOLLEE C4P RD 60
	H	4 cm / 1.60"	

ROUND CANOPY RD 60

	SIZE	FINISHINGS	PRODUCT NAME
	Ø	60 cm / 23.60"	● V98 VOLLEE C4G RD 60
	H	4 cm / 1.60"	

ROUND CANOPY RD 80

	SIZE	FINISHINGS	PRODUCT NAME
	Ø	80 cm / 31.50"	● V98 VOLLEE C8P RD 80
	H	4 cm / 1.60"	