


Blink

SUSPENSION
CEILING
APPLIQUE



Struttura in metallo verniciato e pendagli in cristallo. Illuminazione a LED.

Painted metal frame and crystal pendants. LED lighting.

Gestell aus lackiertem Metall und Kristallanhänger. LED-Beleuchtung.

“Estructura de metal pintado y colgantes de cristal. Iluminación LED.”

Structure en métal peint et pendentifs en cristal. LED éclairage.


Структура из окрашенного металла и хрустальные подвесы.

这种灯具的结构是涂漆的金属，而且结构也有透明的水晶吊坠。LED照明。

هيكل معدني مطلي
ودلايات من الكريستال.
إضاءة ليد.

FINISHINGS

STANDARD



v95 Bianco opaco
Matt white



f01 Foglia oro
Gold leaf

PENDANTS

STANDARD

CUT CRYSTAL
PREMIUM CRYSTAL




TR Trasparente
Transparent


MATERIALS


CUT CRYSTAL
Pendagli trasparenti in cristallo.
Transparent crystal drops.

PREMIUM CRYSTAL
Pendagli trasparenti in cristallo
premium.
Transparent premium crystal drops.

STANDARD CABLES FOR ALL SUSPENSIONS



BLINK S42		CE 
∅	42 cm / 16.53"	
H	26 cm / 10.23"	


BLINK S60		CE 
∅	60 cm / 23.62"	
H	30 cm / 11.81"	

INTEGRATED LED LIGHTING	
DOWN	23,2 W CRI>90 3000 K – 3190 NOMINAL LM

INTEGRATED LED LIGHTING	
DOWN	38 W CRI>90 3000 K – 5220 NOMINAL LM

DIMM 1-10V + DALI + PUSH

DIMM 1-10V + DALI + PUSH



BLINK LED PL90




∅ 90 cm / 35.43"
H 15 cm / 5.90"

INTEGRATED LED LIGHTING

DOWN 50 W CRI>90
3000 K – 6960 NOMINAL LM

DIMM DALI + PUSH



BLINK LED PL60




∅ 60 cm / 23.62"
H 14 cm / 5.51"

INTEGRATED LED LIGHTING

DOWN 38 W CRI>90
3000 K – 5220 NOMINAL LM

DIMM 1-10V + DALI + PUSH



BLINK LED PL42




∅ 42 cm / 16.53"
H 12 cm / 4.72"

INTEGRATED LED LIGHTING

DOWN 23,2 W CRI>90
3000 K – 3190 NOMINAL LM

DIMM 1-10V + DALI + PUSH




BLINK LED A1 G



L	24 cm / 9.44"
SP	26 cm / 10.23"
H	8 cm / 3.14"

INTEGRATED LED LIGHTING

UP	4 W CRI>90 3000 K – 590 NOMINAL LM
DOWN	4 W CRI>90 3000 K – 590 NOMINAL LM
DIMM	1-10V + PUSH



BLINK LED A1 P



L	18 cm / 7.08"
SP	19 cm / 7.48"
H	7 cm / 2.75"

INTEGRATED LED LIGHTING

UP	3 W CRI>90 3000 K – 425 NOMINAL LM
DOWN	3 W CRI>90 3000 K – 425 NOMINAL LM
DIMM	1-10V + PUSH

