


# Honicè

SUSPENSION  
APPLIQUE



Struttura in metallo con diffusore in onice naturale. Illuminazione a LED.

Metal frame with natural onyx diffuser. LED lighting.

Gestell aus Metall mit Diffusor aus natürlichem Onyx. LED-Beleuchtung.

Estructura de metal con difusor en ónix natural. Iluminación LED.

Structure en métal avec diffuseur en onyx naturel. Éclairage à LED.

МЕТАЛЛИЧЕСКИЙ КАРКАС С РАССЕЙВАТЕЛЕМ ИЗ ПРИРОДНОГО ОНИКСА. СВЕТОДИОДНОЕ ОСВЕЩЕНИЕ.

这种灯具具有金属结构，然而光扩散是玛瑙。LED照明。

هيكل معدني مع ناشر من الأونيكس الطبيعي. إضاءة ليد.

## FINISHINGS

### STANDARD



v99 Oro opaco verniciato  
Painted matt gold



G01 Brunito\*  
Burnished

\*NOT AVAILABLE FOR HONICÈ S80 AND HONICÈ S50


## MATERIALS

### STANDARD



Onice  
Onix


## STANDARD CABLES FOR ALL SUSPENSIONS



**HONICÉ S200** 

L 200 cm / 78.74"  
 SP 8 cm / 3.14"  
 H 33 cm / 12.99"


**INTEGRATED LED LIGHTING**  
 UP 21,1 W CRI>95  
 3000 K – 2781 NOMINAL LM  
 DOWN 44,46 W CRI>95  
 3000 K – 5871 NOMINAL LM  
 DIMM 0-10V



**HONICÉ S150** 

L 150 cm / 59.05"  
 SP 8 cm / 3.14"  
 H 33 cm / 12.99"


**INTEGRATED LED LIGHTING**  
 UP 17 W CRI>95  
 3000 K – 1854 NOMINAL LM  
 DOWN 33,5 W CRI>95  
 3000 K – 4326 NOMINAL LM  
 DIMM 0-10V



**HONICÉ S100** 

L 100 cm / 39.37"  
 SP 8 cm / 3.14"  
 H 33 cm / 12.99"


**INTEGRATED LED LIGHTING**  
 UP 9,36 W CRI>95  
 3000 K – 1236 NOMINAL LM  
 DOWN 21,1 W CRI>95  
 3000 K – 2781 NOMINAL LM  
 DIMM 0-10V



**HONICÉ S70** 

L 70 cm / 27.55"  
 SP 8 cm / 3.14"  
 H 33 cm / 12.99"


**INTEGRATED LED LIGHTING**  
 UP 7 W CRI>95  
 3000 K – 927 NOMINAL LM  
 DOWN 15 W CRI>95  
 3000 K – 2008 NOMINAL LM  
 DIMM 0-10V



**HONICÉ S80** 

L 80 cm / 31.49"  
 SP 80 cm / 31.49"  
 H 33 cm / 12.99"


**INTEGRATED LED LIGHTING**  
 UP 28,1 W CRI>95  
 3000 K – 4326 NOMINAL LM  
 DOWN 60,85 W CRI>95  
 3000 K – 7416 NOMINAL LM  
 DIMM 0-10V



**HONICÉ S50** 

L 50 cm / 19.68"  
 SP 50 cm / 19.68"  
 H 33 cm / 12.99"

**INTEGRATED LED LIGHTING**  
 UP 15,21 W CRI>95  
 3000 K – 2008 NOMINAL LM  
 DOWN 32,76 W CRI>95  
 3000 K – 4326 NOMINAL LM  
 DIMM 0-10V



**HONICÉ A65** 

L 65 cm / 25.59"  
 SP 10 cm / 3.93"  
 H 33 cm / 12.99"

**INTEGRATED LED LIGHTING**  
 UP 5,8 W CRI>95  
 3000 K – 849 NOMINAL LM  
 DOWN 5,8 W CRI>95  
 3000 K – 849 NOMINAL LM  
 DIMM 1-10V + PUSH

**HONICÉ A37** 

L 37 cm / 14.56"  
 SP 10 cm / 3.93"  
 H 33 cm / 12.99"

**INTEGRATED LED LIGHTING**  
 UP 3,51 W CRI>95  
 3000 K – 463 NOMINAL LM  
 DOWN 3,51 W CRI>95  
 3000 K – 463 NOMINAL LM  
 DIMM 1-10V + PUSH

