


Olà


SUSPENSION
CEILING
APPLIQUE
TABLE LAMP
FLOOR LAMP




Struttura in metallo verniciato con pendagli.
Painted metal frame with pendants.
Gestell aus lackiertem Metall mit Behang.
Estructura de metal pintado con colgantes.
Structure en métal verni avec pampilles.
Металлический окрашенный каркас с подвесками.
这种灯具的结构是涂漆的金属, 而且它有水晶吊坠们。

هيكل معدني مطلي مع دلايات.


FINISHINGS
STANDARD



PENDANTS
STANDARD



STANDARD CABLES
FOR ALL SUSPENSIONS



OLÀ S12 120


∅ 120 cm / 47.24"
H 20 cm / 7.87"

STANDARD LIGHTING 

12×E27×20 W MAX (NOT INCL.)
USA 12×E26×60 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING 

UP 15,6 W CRI>95
3000 K – 1856 NOMINAL LM
DOWN 62,4 W CRI>95
3000 K – 7425 NOMINAL LM
DIMM 1-10V



OLÀ S6 90


∅ 90 cm / 35.43"
H 20 cm / 7.87"

STANDARD LIGHTING 

8×E27×20 W MAX (NOT INCL.)
USA 8×E26×60 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 

UP 10,4 W CRI>95
3000 K – 1236 NOMINAL LM
DOWN 31,2 W CRI>95
3000 K – 3708 NOMINAL LM
DIMM 1-10V



OLÀ S6 60


∅ 60 cm / 23.62"
H 20 cm / 7.87"

STANDARD LIGHTING 

6×E27×20 W MAX (NOT INCL.)
USA 6×E26×60 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING 

UP 7,8 W CRI>95
3000 K – 928 NOMINAL LM
DOWN 23,4 W CRI>95
3000 K – 2784 NOMINAL LM
DIMM 1-10V



OLÀ S6 40

∅ 40 cm / 15.74"
H 20 cm / 7.87"

STANDARD LIGHTING 

6×E14×10 W MAX (NOT INCL.)
USA 6×E12×40 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING 

UP 13,7 W CRI>95
3000 K – 1625 NOMINAL LM
DOWN 13,7 W CRI>95
3000 K – 1625 NOMINAL LM
DIMM 1-10V



OLÀ S2 15

∅ 15 cm / 5.90"
H 26 cm / 10.23"


STANDARD LIGHTING 

2×G9×10 W MAX (NOT INCL.)
USA 1×E12×40 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING 

DOWN 7,5 W CRI>90
3000 K – 1080 NOMINAL LM

DIMM 1-10V + PUSH



: for the US market, refer to the relevant price list.

OLÀ S8 OV 210


L 210 cm / 82.67"
 SP 20 cm / 7.87"
 H 20 cm / 7.87"

STANDARD LIGHTING   

8×E14×10 W MAX (NOT INCL.)
 USA 8×E12×40 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING    

UP 15,6 W CRI>95
 3000 K – 1856 NOMINAL LM
 DOWN 70,2 W CRI>95
 3000 K – 8560 NOMINAL LM
 DIMM 1-10V



OLÀ S6 OV 160


L 160 cm / 63.00"
 SP 14 cm / 5.50"
 H 20 cm / 7.87"

STANDARD LIGHTING   

6×E14×10 W MAX (NOT INCL.)
 USA 6×E12×40 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING    

UP 10,4 W CRI>95
 3000 K – 1236 NOMINAL LM
 DOWN 50,7 W CRI>95
 3000 K – 6033 NOMINAL LM
 DIMM 1-10V



OLÀ S4 OV 100


L 100 cm / 39.37"
 SP 13 cm / 5.12"
 H 20 cm / 7.87"

STANDARD LIGHTING   

4×E14×10 W MAX (NOT INCL.)
 USA 4×E12×40 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING    

UP 5,2 W CRI>95
 3000 K – 618 NOMINAL LM
 DOWN 25,35 W CRI>95
 3000 K – 3016 NOMINAL LM
 DIMM 1-10V



OLÀ S2 OV 50


L 50 cm / 19.69"
 SP 8 cm / 3.14"
 H 18 cm / 7.09"

STANDARD LIGHTING   

2×E27×20 W MAX (NOT INCL.)
 USA 2×E26×60 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING    

UP 5,2 W CRI>95
 3000 K – 618 NOMINAL LM
 DOWN 7,8 W CRI>95
 3000 K – 930 NOMINAL LM
 DIMM 1-10V + PUSH



OLÀ S1 OV 30


L 30 cm / 11.81"
 SP 7 cm / 2.75"
 H 18 cm / 7.09"

STANDARD LIGHTING   

1×E14×10 W MAX (NOT INCL.)
 USA 1×E12×40 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING    

UP 4 W CRI>95
 3000 K – 464 NOMINAL LM
 DOWN 4 W CRI>95
 3000 K – 464 NOMINAL LM
 DIMM 1-10V + PUSH



 : for the US market, refer to the relevant price list.

OLÀ PL12 120

ø 120 cm / 47.24"
H 26 cm / 10.23"


STANDARD LIGHTING 

12×E27×20 W MAX (NOT INCL.)
USA 12×E26×60 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING 

DOWN 62,4 W CRI>95
3000 K – 7425 NOMINAL LM

DIMM 1-10V



OLÀ PL6 90

ø 90 cm / 35.50"
H 26 cm / 10.23"


STANDARD LIGHTING 

8×E27×20 W MAX (NOT INCL.)
USA 8×E26×60 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING 

DOWN 31,2 W CRI>95
3000 K – 3708 NOMINAL LM

DIMM 1-10V



OLÀ PL6 60

ø 60 cm / 23.62"
H 26 cm / 10.23"

STANDARD LIGHTING 

6×E27×20 W MAX (NOT INCL.)
USA 6×E26×60 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING 

DOWN 23,4 W CRI>95
3000 K – 2784 NOMINAL LM

DIMM 1-10V



OLÀ PL6 40

ø 40 cm / 15.74"
H 26 cm / 10.23"

STANDARD LIGHTING 

6×E14×10 W MAX (NOT INCL.)
USA 6×E12×40 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING 

DOWN 13,7 W CRI>95
3000 K – 1625 NOMINAL LM

DIMM 1-10V



OLÀ PL8 OV 210

L 210 cm / 82.67"
 SP 20 cm / 7.87"
 H 26 cm / 10.23"



STANDARD LIGHTING  

8×E14×10 W MAX (NOT INCL.)
 USA 8×E12×40 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING    

DOWN 70,2 W CRI>95
 3000 K – 8560 NOMINAL LM

DIMM 1-10V



OLÀ PL6 OV 160

L 160 cm / 62.99"
 SP 13 cm / 5.12"
 H 26 cm / 10.23"


STANDARD LIGHTING  

6×E14×10 W MAX (NOT INCL.)
 USA 6×E12×40 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING    

DOWN 50,7 W CRI>95
 3000 K – 6033 NOMINAL LM

DIMM 1-10V



OLÀ PL4 OV 100

L 100 cm / 39.37"
 SP 13 cm / 5.12"
 H 26 cm / 10.23"



STANDARD LIGHTING  

4×E14×10 W MAX (NOT INCL.)
 USA 4×E12×40 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING    

DOWN 25,35 W CRI>95
 3000 K – 3016 NOMINAL LM

DIMM 1-10V



OLÀ A6 OV 160


L 160 cm / 62.99"
 SP 20 cm / 7.87"
 H 20 cm / 7.87"

STANDARD LIGHTING 

6×E14×10 W MAX (NOT INCL.)
 USA 6×E12×40 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING 

UP 10,4 W CRI>95
 3000 K – 1236 NOMINAL LM
 DOWN 50,7 W CRI>95
 3000 K – 6033 NOMINAL LM
 DIMM NO



OLÀ A2 OV 70


L 70 cm / 27.56"
 SP 15 cm / 5.90"
 H 20 cm / 7.87"

STANDARD LIGHTING 

2×E27×20 W MAX (NOT INCL.)
 USA 2×E26×60 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING 

UP 11,7 W CRI>95
 3000 K – 1390 NOMINAL LM
 DOWN 19,5 W CRI>95
 3000 K – 2300 NOMINAL LM
 DIMM NO



OLÀ A2 OV 50


L 50 cm / 19.68"
 SP 12 cm / 4.72"
 H 18 cm / 7.08"

STANDARD LIGHTING 

2×E27×20 W MAX (NOT INCL.)
 USA 2×E26×60 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING 

UP 5,2 W CRI>95
 3000 K – 618 NOMINAL LM
 DOWN 7,8 W CRI>95
 3000 K – 930 NOMINAL LM
 DIMM 1-10V + PUSH



OLÀ A1 OV 30


L 30 cm / 11.81"
 SP 10 cm / 3.94"
 H 18 cm / 7.08"

STANDARD LIGHTING 

1×E14×10 W MAX (NOT INCL.)
 USA 1×E12×40 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING 

UP 4 W CRI>95
 3000 K – 464 NOMINAL LM
 DOWN 4 W CRI>95
 3000 K – 464 NOMINAL LM
 DIMM 1-10V + PUSH



OLÀ TL2


L 50 cm / 19.68"
 SP 16 cm / 6.30"
 H 50 cm / 19.68"

STANDARD LIGHTING 

2×E27×20 W MAX (NOT INCL.)
 USA 2×E26×60 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING 

UP 5,2 W CRI>95
 3000 K – 618 NOMINAL LM
 DOWN 7,8 W CRI>95
 3000 K – 930 NOMINAL LM
 DIMM OWN BUTTON



OLÀ STL2


L 50 cm / 19.68"
 SP 24 cm / 9.45"
 H 180 cm / 70.86"

STANDARD LIGHTING 

2×E27×20 W MAX (NOT INCL.)
 USA 2×E26×60 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING 

UP 5,2 W CRI>95
 3000 K – 618 NOMINAL LM
 DOWN 7,8 W CRI>95
 3000 K – 930 NOMINAL LM
 DIMM OWN BUTTON



 : for the US market, refer to the relevant price list.

OLÀ C3 LN 75

L 75 cm / 29.52"
 SP 20 cm / 7.87"
 H MAX 180 cm / 70.86"


STANDARD LIGHTING 

6xG9x10 W MAX (NOT INCL.)
 USA 3xE12x40 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING 

DOWN 22,5 W CRI>90
 3000 K - 3240 NOMINAL LM

DIMM 1-10V + PUSH



OLÀ C5 LN 125

L 125 cm / 49.21"
 SP 20 cm / 7.87"
 H MAX 130 cm / 51.18"


STANDARD LIGHTING 

10xG9x10 W MAX (NOT INCL.)
 USA 5xE12x40 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING 

DOWN 37,5 W CRI>90
 3000 K - 5400 NOMINAL LM

DIMM 1-10V + DALI + PUSH



OLÀ C7 LN 175

L 175 cm / 68.89"
 SP 20 cm / 7.87"
 H MAX 180 cm / 70.86"


STANDARD LIGHTING 

14xG9x10 W MAX (NOT INCL.)
 USA 7xE12x40 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING 

DOWN 52,5 W CRI>90
 3000 K - 7560 NOMINAL LM

DIMM 1-10V + DALI + PUSH



OLÀ C3 RD 40

ø 40 cm / 15.74"
 H MAX 180 cm / 70.86"


STANDARD LIGHTING 

6xG9x10 W MAX (NOT INCL.)
 USA 3xE12x40 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING 

DOWN 22,5 W CRI>90
 3000 K - 3240 NOMINAL LM

DIMM 1-10V + PUSH



OLÀ C5 RD 60

ø 60 cm / 23.62"
 H MAX 180 cm / 70.86"


STANDARD LIGHTING 

10xG9x10 W MAX (NOT INCL.)
 USA 5xE12x40 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING 

DOWN 37,5 W CRI>90
 3000 K - 5400 NOMINAL LM

DIMM 1-10V + DALI + PUSH



OLÀ C7 RD 80

ø 80 cm / 31.49"
 H MAX 180 cm / 70.86"


STANDARD LIGHTING 

14xG9x10 W MAX (NOT INCL.)
 USA 7xE12x40 W MAX (NOT INCL.)

INTEGRATED LED LIGHTING 

DOWN 52,5 W CRI>90
 3000 K - 7560 NOMINAL LM

DIMM 1-10V + DALI + PUSH



 : for the US market, refer to the relevant price list.