


# Drylight

SUSPENSION  
APPLIQUE  
TABLE LAMP  
FLOOR LAMP

Polycarbonate structure with polycarbonate pendants or cut crystal (recommended for indoor use). LED lighting. IP66



## FINISHINGS

### STANDARD



E71 Silver Chrome



E95 Pure White



E99 Desert Gold

## MATERIALS

### STANDARD



**EXTREME PENDANTS**  
Polycarbonate pendants and prisms



**PREMIUM PENDANTS**  
Cut crystal pendants and octagons.  
(Recommended for internal use only).

## LIGHTING

### 1. Drylight Led White

2. **Drylight Led RGB-W:** Drylight incorporates a LED RGB-W system engineered to meet the needs for reliability and strength. It is equipped with a patented system that allows to create endless combinations of light intensity and colour.



## STANDARD ROD



H 45 CM / 17.70"

RGB-W

---

Through the RGB-W LED lighting system, the Drylight transforms light into pure colour.

White light at 3000°K can also be obtained.

Each Drylight device can be alternatively managed in the following ways: DMX protocol, remote control, Tuya, Alexa, Google Home.

RGB-W DIMMING CONTROL OPTIONS

---



**DRYLIGHT S6 WHITE**  


Ø 75 cm / 29.50"  
 H 125 cm / 49.20"  
 ■ 7,3 kg / 16,09 lb EXTREME  
 8,7 kg / 19,18 lb PREMIUM

---

H ROD 45 45 cm / 17.70" STANDARD  
 H ROD 35 35 cm / 13.80" ON REQUEST  
 H ROD 25 25 cm / 9.80" ON REQUEST

**INTEGRATED LED LIGHTING**  
 6xWHITE LED SOURCE – 3000 K  
 13 W TOT – 1600 NOMINAL LM  
 (DRIVER INCLUDED)

**DIMM** 1-10V + PUSH



**DRYLIGHT S12 WHITE**  


Ø 113 cm / 44.50"  
 H 135 cm / 53.10"  
 ■ 10,6 kg / 23,36 lb EXTREME  
 13,4 kg / 29,54 lb PREMIUM

---

H ROD 45 45 cm / 17.70" STANDARD  
 H ROD 35 35 cm / 13.80" ON REQUEST  
 H ROD 25 25 cm / 9.80" ON REQUEST

**INTEGRATED LED LIGHTING**  
 12xWHITE LED SOURCE – 3000 K  
 26 W TOT – 3360 NOMINAL LM  
 (DRIVER INCLUDED)

**DIMM** 1-10V + PUSH



**DRYLIGHT S18 WHITE**  

Ø 113 cm / 44.50"  
 H 150 cm / 59.10"  
 ■ 16,1 kg / 35,49 lb EXTREME  
 20,2 kg / 44,53 lb PREMIUM

---


H ROD 45 45 cm / 17.70" STANDARD  
 H ROD 35 35 cm / 13.80" ON REQUEST  
 H ROD 25 25 cm / 9.80" ON REQUEST

**BOX**  
 Øb 20 cm / 7.87"  
 Hb 10 cm / 3.94"

---

**INTEGRATED LED LIGHTING**  
 18xWHITE LED SOURCE – 3000 K  
 39 W TOT – 5040 NOMINAL LM  
 (DRIVER INCLUDED)

**DIMM** 1-10V + PUSH



**DRYLIGHT S24 WHITE**  

Ø 113 cm / 44.50"  
 H 165 cm / 65.00"  
 ■ 23,5 kg / 51,80 lb EXTREME  
 29,7 kg / 65,47 lb PREMIUM

---


H ROD 45 45 cm / 17.70" STANDARD  
 H ROD 35 35 cm / 13.80" ON REQUEST  
 H ROD 25 25 cm / 9.80" ON REQUEST

**BOX**  
 Øb 20 cm / 7.87"  
 Hb 10 cm / 3.94"

---

**INTEGRATED LED LIGHTING**  
 24xWHITE LED SOURCE – 3000 K  
 52 W TOT – 6720 NOMINAL LM  
 (DRIVER INCLUDED)

**DIMM** 1-10V + PUSH



**DRYLIGHT S6 RGB-W**  


Ø 75 cm / 29.50"  
 H 125 cm / 49.20"  
 ■ 7,3 kg / 16,09 lb EXTREME  
 8,7 kg / 19,18 lb PREMIUM

---

H ROD 45 45 cm / 17.70" STANDARD  
 H ROD 35 35 cm / 13.80" ON REQUEST  
 H ROD 25 25 cm / 9.80" ON REQUEST

**INTEGRATED LED LIGHTING**  
 6xRGB-W LED SOURCE  
 24 W TOT (DRIVER INCLUDED)

**DIMM** DMX CONTROL  
 OR REMOTE CONTROL  
 OR TUYA  
 OR ALEXA  
 OR GOOGLE HOME



**DRYLIGHT S12 RGB-W**  


Ø 113 cm / 44.50"  
 H 135 cm / 53.10"  
 ■ 10,6 kg / 23,36 lb EXTREME  
 13,4 kg / 29,54 lb PREMIUM

---

H ROD 45 45 cm / 17.70" STANDARD  
 H ROD 35 35 cm / 13.80" ON REQUEST  
 H ROD 25 25 cm / 9.80" ON REQUEST

**INTEGRATED LED LIGHTING**  
 12xRGB-W LED SOURCE  
 48 W TOT (DRIVER INCLUDED)

**DIMM** DMX CONTROL  
 OR REMOTE CONTROL  
 OR TUYA  
 OR ALEXA  
 OR GOOGLE HOME



**DRYLIGHT S18 RGB-W**  

Ø 113 cm / 44.50"  
 H 150 cm / 59.10"  
 ■ 16,1 kg / 35,49 lb EXTREME  
 20,2 kg / 44,53 lb PREMIUM

---


H ROD 45 45 cm / 17.70" STANDARD  
 H ROD 35 35 cm / 13.80" ON REQUEST  
 H ROD 25 25 cm / 9.80" ON REQUEST

**BOX**  
 Øb 20 cm / 7.87"  
 Hb 14 cm / 5.51"

---

**INTEGRATED LED LIGHTING**  
 18xRGB-W LED SOURCE  
 72 W TOT (DRIVER INCLUDED)

**DIMM** DMX CONTROL  
 OR REMOTE CONTROL  
 OR TUYA  
 OR ALEXA  
 OR GOOGLE HOME



**DRYLIGHT S24 RGB-W**  

Ø 113 cm / 44.50"  
 H 165 cm / 65.00"  
 ■ 23,5 kg / 51,80 lb EXTREME  
 29,7 kg / 65,47 lb PREMIUM

---


H ROD 45 45 cm / 17.70" STANDARD  
 H ROD 35 35 cm / 13.80" ON REQUEST  
 H ROD 25 25 cm / 9.80" ON REQUEST

**BOX**  
 Øb 20 cm / 7.87"  
 Hb 14 cm / 5.51"

---

**INTEGRATED LED LIGHTING**  
 24xRGB-W LED SOURCE  
 96 W TOT (DRIVER INCLUDED)

**DIMM** DMX CONTROL  
 OR REMOTE CONTROL  
 OR TUYA  
 OR ALEXA  
 OR GOOGLE HOME




**DRYLIGHT A2 WHITE** CE IP66

W	44 cm / 17.30"
D	30 cm / 11.80"
H	37 cm / 14.60"

**INTEGRATED LED LIGHTING**  
 2XWHITE LED SOURCE – 3000 K  
 5 W TOT – 560 NOMINAL LM  
 (DRIVER INCLUDED)

DIMM NO




**DRYLIGHT A2 RGB-W** CE IP66

W	44 cm / 17.30"
D	30 cm / 11.80"
H	37 cm / 14.60"

**FLUSH-MOUNTED BOX (NOT INCLUDED)**  
 Wb 10 cm / 3.93"  
 Db 7 cm / 2.75"  
 H 10 cm / 3.93"

**INTEGRATED LED LIGHTING**  
 2XRGB-W LED SOURCE  
 8 W TOT (DRIVER INCLUDED)

DIMM DMX CONTROL  
 OR REMOTE CONTROL  
 OR TUYA  
 OR ALEXA  
 OR GOOGLE HOME



**DRYLIGHT TL6 WHITE**      **CE IP44\***


∅ 75 cm / 29.50"  
H 120 cm / 47.20"

**INTEGRATED LED LIGHTING**  
6xWHITE LED SOURCE – 3000 K  
13 W TOT – 1600 NOMINAL LM  
(DRIVER INCLUDED)

DIMM 1-10V + PUSH

**BATTERY POWER (OPTIONAL) \***

10 hours AUTONOMY  
5 hours TO RECHARGE



**DRYLIGHT TL6 STAKE WHITE**      **CE IP44\***


∅ 75 cm / 29.50"  
H 120 cm / 47.20"

**INTEGRATED LED LIGHTING**  
6xWHITE LED SOURCE – 3000 K  
13 W TOT – 1600 NOMINAL LM  
(DRIVER INCLUDED)

DIMM 1-10V + PUSH

**BATTERY POWER (OPTIONAL) \***

10 hours AUTONOMY  
5 hours TO RECHARGE



**DRYLIGHT TL6 RGB-W**      **CE IP44\***


∅ 75 cm / 29.50"  
H 120 cm / 47.20"

**INTEGRATED LED LIGHTING**  
6xRGB-W LED SOURCE  
24 W TOT (DRIVER INCLUDED)

DIMM DMX CONTROL  
OR REMOTE CONTROL  
OR TUYA  
OR ALEXA  
OR GOOGLE HOME

**BATTERY POWER (OPTIONAL) \***

10 hours AUTONOMY  
5 hours TO RECHARGE



**DRYLIGHT TL6 STAKE RGB-W**      **CE IP44\***


∅ 75 cm / 29.50"  
H 120 cm / 47.20"

**INTEGRATED LED LIGHTING**  
6xRGB-W LED SOURCE  
24 W TOT (DRIVER INCLUDED)

DIMM DMX CONTROL  
OR REMOTE CONTROL  
OR TUYA  
OR ALEXA  
OR GOOGLE HOME

**BATTERY POWER (OPTIONAL) \***

10 hours AUTONOMY  
5 hours TO RECHARGE



\* IP66 FOR BATTERY VERSION


**DRYLIGHT STL6 WHITE**      **CE IP44\***

Ø 75 cm / 29.50"  
H 245 cm / 96.50"

**INTEGRATED LED LIGHTING**  
6XWHITE LED SOURCE – 3000 K  
13 W TOT – 1600 NOMINAL LM  
(DRIVER INCLUDED)

**DIMM** 1-10V + PUSH

**BATTERY POWER (OPTIONAL) \***  
10 hours AUTONOMY  
5 hours TO RECHARGE




**DRYLIGHT STL6 STAKE WHITE**      **CE IP44\***

Ø 75 cm / 29.50"  
H 245 cm / 96.50"

**INTEGRATED LED LIGHTING**  
6XWHITE LED SOURCE – 3000 K  
13 W TOT – 1600 NOMINAL LM  
(DRIVER INCLUDED)

**DIMM** 1-10V + PUSH

**BATTERY POWER (OPTIONAL) \***  
10 hours AUTONOMY  
5 hours TO RECHARGE




**DRYLIGHT STL6 RGB-W**      **CE IP44\***

Ø 75 cm / 29.50"  
H 245 cm / 96.50"

**INTEGRATED LED LIGHTING**  
6XRGB-W LED SOURCE  
24 W TOT (DRIVER INCLUDED)

**DIMM** DMX CONTROL  
OR REMOTE CONTROL  
OR TUYA  
OR ALEXA  
OR GOOGLE HOME

**BATTERY POWER (OPTIONAL) \***  
10 hours AUTONOMY  
5 hours TO RECHARGE




**DRYLIGHT STL6 STAKE RGB-W**      **CE IP44\***

Ø 75 cm / 29.50"  
H 245 cm / 96.50"

**INTEGRATED LED LIGHTING**  
6XRGB-W LED SOURCE  
24 W TOT (DRIVER INCLUDED)

**DIMM** DMX CONTROL  
OR REMOTE CONTROL  
OR TUYA  
OR ALEXA  
OR GOOGLE HOME

**BATTERY POWER (OPTIONAL) \***  
10 hours AUTONOMY  
5 hours TO RECHARGE



\* IP66 FOR BATTERY VERSION