


Vegas

SUSPENSION
APPLIQUE
TABLE LAMP
FLOOR LAMP



Struttura in metallo con diffusore in listelli di vetro effetto roccia. Illuminazione a LED.

Metal frame with diffuser in strips of rock looking glass. LED lighting.

Gestell aus Metall mit Diffusor aus Glasleisten, Gestein aussehend. LED-Beleuchtung.

Estructura de metal con difusor en listones de cristal efecto roca. Iluminación LED.

Structure en métal peint avec diffuseur en bandes de verre effet roche. Éclairage à LED.

Металлический каркас с рассеивателем из стекла с эффектом горного хрусталя. Светодиодное освещение.

这种灯具具有金属结构, 而且在灯具外面有岩石类类似的玻璃条们。LED照明。

هيكل معدني
مع ناشر ضوء في شرائح
زجاجية ذات تأثير صخري.
إضاءة ليد.

FINISHINGS


STANDARD



F04 Foglia champagne
Leaf champagne

MATERIALS

STANDARD



Hand made glass


DIMMING CONTROL



STANDARD CABLES



GOLD SILK CABLE
H 120 CM / 47.24"
ONLY FOR VEGAS S RD12



GOLD SILK CABLE
H 150 CM / 59.05"

VEGAS S RD12



Ø 12 cm / 4.70"
H 28 cm / 11.00"
■ 3 kg / 7.00 lb

STANDARD INTEGRATED LED LIGHTING


5,4 W CRI>90
3000 K - 688 NOMINAL LM

ON REQUEST

5,4 W CRI>90
2700 K - 653 NOMINAL LM

DIMMABLE

NO



VEGAS S RD40



Ø 40 cm / 15.70"
H 40 cm / 15.70"
■ 16 kg / 35.00 lb

STANDARD INTEGRATED LED LIGHTING

33 W CRI>90
3000 K - 3520 NOMINAL LM

ON REQUEST

33 W CRI>90
2700 K - 3355 NOMINAL LM

DIMMABLE

0-10V



VEGAS S RD60



Ø 60 cm / 23.60"
H 40 cm / 15.70"
■ 32 kg / 71.00 lb

STANDARD INTEGRATED LED LIGHTING


55 W CRI>90
3000 K - 5866 NOMINAL LM

ON REQUEST

55 W CRI>90
2700 K - 5591 NOMINAL LM

DIMMABLE

0-10V



VEGAS S RD90



Ø 90 cm / 35.40"
H 40 cm / 15.70"
■ 50 kg / 110.00 lb

STANDARD INTEGRATED LED LIGHTING


91 W CRI>90
3000 K - 9706 NOMINAL LM

ON REQUEST

91 W CRI>90
2700 K - 9251 NOMINAL LM

DIMMABLE

0-10V



VEGAS S RD120



Ø 120 cm / 47.20"
H 40 cm / 15.70"
■ 68 kg / 150.00 lb

STANDARD INTEGRATED LED LIGHTING


126 W CRI>90
3000 K - 13440 NOMINAL LM

ON REQUEST

126 W CRI>90
2700 K - 12810 NOMINAL LM

DIMMABLE

1-10V



VEGAS S RD40 DB



Ø 40 cm / 15.70"
H 50 cm / 19.70"
■ 22 kg / 49.00 lb

STANDARD INTEGRATED LED LIGHTING


33 W CRI>90
3000 K - 3520 NOMINAL LM

ON REQUEST

33 W CRI>90
2700 K - 3355 NOMINAL LM

DIMMABLE

0-10V



VEGAS S RD 60DB



Ø 60 cm / 23.60"
H 50 cm / 19.70"
■ 40 kg / 88.00 lb

STANDARD INTEGRATED LED LIGHTING


55 W CRI>90
3000 K - 5866 NOMINAL LM

ON REQUEST

55 W CRI>90
2700 K - 5591 NOMINAL LM

DIMMABLE

0-10V



VEGAS S RD 90DB



Ø 90 cm / 23.60"
H 50 cm / 19.70"
■ 65 kg / 143.00 lb

STANDARD INTEGRATED LED LIGHTING


92,5 W CRI>90
3000 K - 9866 NOMINAL LM

ON REQUEST

92,5 W CRI>90
2700 K - 9404 NOMINAL LM

DIMMABLE

0-10V



VEGAS S RD 120DB



Ø 120 cm / 47.20"
H 50 cm / 19.70"
■ 90 kg / 198.00 lb

STANDARD INTEGRATED LED LIGHTING


126 W CRI>90
3000 K - 13440 NOMINAL LM

ON REQUEST

126 W CRI>90
2700 K - 12810 NOMINAL LM

DIMMABLE

1-10V



VEGAS S OV85

W 85 cm / 33.50"
D 34 cm / 13.40"
H 40 cm / 15.70"
■ 37 kg / 82.00 lb

STANDARD INTEGRATED LED LIGHTING


58,8 W CRI>90
3000 K – 7570 NOMINAL LM

ON REQUEST

58,8 W CRI>90
2700 K – 7191 NOMINAL LM

DIMMABLE

0-10V

VEGAS S OV120

W 120 cm / 47.20"
D 48 cm / 18.90"
H 40 cm / 15.70"
■ 54 kg / 119.00 lb

STANDARD INTEGRATED LED LIGHTING


87,6 W CRI>90
3000 K – 9344 NOMINAL LM

ON REQUEST

87,6 W CRI>90
2700 K – 8906 NOMINAL LM

DIMMABLE

0-10V

VEGAS S OV160

W 160 cm / 63.00"
D 65 cm / 25.60"
H 40 cm / 15.70"
■ 72 kg / 159.00 lb

STANDARD INTEGRATED LED LIGHTING


119 W CRI>90
3000 K – 12693 NOMINAL LM

ON REQUEST

119 W CRI>90
2700 K – 12098 NOMINAL LM

DIMMABLE

0-10V

VEGAS S VRT70

Ø 27 cm / 10.60"
H 67 cm / 26.40"
■ 20 kg / 44.00 lb

STANDARD INTEGRATED LED LIGHTING


21 W CRI>90
3000 K – 2240 NOMINAL LM

ON REQUEST

21 W CRI>90
2700 K – 2135 NOMINAL LM

DIMMABLE

0-10V

VEGAS S VRT90

Ø 27 cm / 10.60"
H 94 cm / 37.00"
■ 27 kg / 60.00 lb

STANDARD INTEGRATED LED LIGHTING


41 W CRI>90
3000 K – 4373 NOMINAL LM

ON REQUEST

41 W CRI>90
2700 K – 4168 NOMINAL LM

DIMMABLE

0-10V

VEGAS S VRT140

Ø 27 cm / 10.60"
H 135 cm / 53.10"
■ 41 kg / 90.00 lb

STANDARD INTEGRATED LED LIGHTING


56 W CRI>90
3000 K – 5973 NOMINAL LM

ON REQUEST

56 W CRI>90
2700 K – 5693 NOMINAL LM

DIMMABLE

0-10V

VEGAS S VRT180

Ø 27 cm / 10.60"
H 175 cm / 68.90"
■ 58 kg / 128.00 lb

STANDARD INTEGRATED LED LIGHTING


72 W CRI>90
3000 K – 7680 NOMINAL LM

ON REQUEST

72 W CRI>90
2700 K – 7320 NOMINAL LM

DIMMABLE

0-10V

VEGAS BIL 90

W 94 cm / 37.00"
D 27 cm / 10.60"
H 27 cm / 10.60"
■ 28 kg / 62.00 lb

STANDARD INTEGRATED LED LIGHTING


41 W CRI>90
3000 K – 4373 NOMINAL LM

ON REQUEST

41 W CRI>90
2700 K – 4168 NOMINAL LM

DIMMABLE

0-10V

VEGAS BIL 140

W 135 cm / 53.10"
D 27 cm / 10.60"
H 27 cm / 10.60"
■ 42 kg / 93.00 lb

STANDARD INTEGRATED LED LIGHTING


56 W CRI>90
3000 K – 5973 NOMINAL LM

ON REQUEST

56 W CRI>90
2700 K – 5693 NOMINAL LM

DIMMABLE

0-10V

VEGAS BIL 180

W 175 cm / 68.90"
D 27 cm / 10.60"
H 27 cm / 10.60"
■ 58 kg / 128.00 lb

STANDARD INTEGRATED LED LIGHTING


72 W CRI>90
3000 K – 7680 NOMINAL LM

ON REQUEST

72 W CRI>90
2700 K – 7320 NOMINAL LM

DIMMABLE

0-10V



VEGAS C3 LN 75

W 75 cm / 29.50"
 D 20 cm / 7.90"
 H MAX 150 cm / 59.10"
 ■ 13 kg / 29.00 lb

STANDARD INTEGRATED LED LIGHTING


16,2 W CRI>90
 3000 K - 2064 NOMINAL LM

ON REQUEST

16,2 W CRI>90
 2700 K - 1960 NOMINAL LM

DIMMABLE

1-10V + PUSH

VEGAS C5 LN 125

W 125 cm / 49.20"
 D 20 cm / 7.90"
 H MAX 150 cm / 59.10"
 ■ 20 kg / 44.00 lb

STANDARD INTEGRATED LED LIGHTING


27 W CRI>90
 3000K - 3440 NOMINAL LM

ON REQUEST

27 W CRI>90
 2700 K - 3268 NOMINAL LM

DIMMABLE

1-10V + PUSH

VEGAS C7 LN 175

W 175 cm / 68.90"
 D 20 cm / 7.90"
 H MAX 150 cm / 59.10"
 ■ 28 kg / 62.00 lb

STANDARD INTEGRATED LED LIGHTING


37,8 W CRI>90
 3000K - 4816 NOMINAL LM

ON REQUEST

37,8 W CRI>90
 2700 K - 4575 NOMINAL LM

DIMMABLE

1-10V + DALI + PUSH

VEGAS C3 RD 40

Ø 40 cm / 15.70"
 H MAX 150 cm / 59.10"
 ■ 12 kg / 26.00 lb

STANDARD INTEGRATED LED LIGHTING


16,2 W CRI>90
 3000K - 2064 NOMINAL LM

ON REQUEST

16,2 W CRI>90
 2700 K - 1960 NOMINAL LM

DIMMABLE

1-10V + PUSH

VEGAS C5 RD 60

Ø 60 cm / 23.60"
 H MAX 150 cm / 59.10"
 ■ 21 kg / 46.00 lb

STANDARD INTEGRATED LED LIGHTING


27 W CRI>90
 3000K - 3440 NOMINAL LM

ON REQUEST

27 W CRI>90
 2700 K - 3268 NOMINAL LM

DIMMABLE

1-10V + PUSH

VEGAS C7 RD 80

Ø 80 cm / 31.50"
 H MAX 150 cm / 59.10"
 ■ 30 kg / 66.00 lb

STANDARD INTEGRATED LED LIGHTING


37,8 W CRI>90
 3000K - 4816 NOMINAL LM

ON REQUEST

37,8 W CRI>90
 2700 K - 4575 NOMINAL LM

DIMMABLE

1-10V + DALI + PUSH



VEGAS A P VRT

W 28 cm / 11.00"
D 10 cm / 3.90"
H 38 cm / 15.00"
■ 4 kg / 9.00 lb

STANDARD INTEGRATED LED LIGHTING


7 W CRI>90
3000 K – 746 NOMINAL LM

ON REQUEST

7 W CRI>90
2700 K – 712 NOMINAL LM

DIMMABLE

NO



VEGAS A G VRT

W 28 cm / 11.00"
D 10 cm / 3.90"
H 79 cm / 31.10"
■ 10 kg / 22.00 lb

STANDARD INTEGRATED LED LIGHTING


14 W CRI>90
3000 K – 1492 NOMINAL LM

ON REQUEST

14 W CRI>90
2700 K – 1424 NOMINAL LM

DIMMABLE

NO



VEGAS A P

W 38 cm / 15.00"
D 10 cm / 3.90"
H 28 cm / 11.00"
■ 4 kg / 9.00 lb

STANDARD INTEGRATED LED LIGHTING


7 W CRI>90
3000 K – 746 NOMINAL LM

ON REQUEST

7 W CRI>90
2700 K – 712 NOMINAL LM

DIMMABLE

NO



VEGAS A G

W 79 cm / 31.10"
D 10 cm / 3.90"
H 28 cm / 11.00"
■ 10 kg / 22.00 lb

STANDARD INTEGRATED LED LIGHTING


14 W CRI>90
3000 K – 1492 NOMINAL LM

ON REQUEST

14 W CRI>90
2700 K – 1424 NOMINAL LM

DIMMABLE

NO



VEGAS TL G

W 30 cm / 11.80"
D 18 cm / 7.10"
H 45 cm / 17.70"
■ 11 kg / 24.00 lb

STANDARD INTEGRATED LED LIGHTING


10,8 W CRI>90
3000 K – 1152 NOMINAL LM

ON REQUEST

10,8 W CRI>90
2700 K – 1098 NOMINAL LM

DIMMABLE

OWN BUTTON



VEGAS STL

W 57 cm / 22.40"
D 30 cm / 11.80"
H 160 cm / 63.00"
■ 33 kg / 73.00 lb

STANDARD INTEGRATED LED LIGHTING


45,6 W CRI>90
3000 K – 4864 NOMINAL LM

ON REQUEST


45,6 W CRI>90
2700 K – 4636 NOMINAL LM

DIMMABLE


OWN BUTTON




SINGLE CANOPY

	SIZE	FINISHINGS	COLOR CABLE	PRODUCT NAME
	Ø 10 cm / 3.90"	F04	GOLD SILK	VEGAS S RD12
	H 5 cm / 2.00"			


SINGLE CANOPY

	SIZE	FINISHINGS	COLOR CABLE	PRODUCT NAME
	Ø 22,5 cm / 8.80"	F04	GOLD SILK	VEGAS S RD40
	H 8 cm / 3.10"			VEGAS S RD40 DB
				VEGAS S RD60
				VEGAS S RD60 DB


SINGLE CANOPY

	SIZE	FINISHINGS	COLOR CABLE	PRODUCT NAME
	Ø 30 cm / 11.80"	F04	GOLD SILK	VEGAS S RD90
	H 10 cm / 3.90"			VEGAS S RD90 DB


SINGLE CANOPY

	SIZE	FINISHINGS	COLOR CABLE	PRODUCT NAME
	Ø 30 cm / 11.80"	F04	GOLD SILK	VEGAS S RD120
	H 10 cm / 3.90"			VEGAS S RD120 DB


SINGLE CANOPY

	SIZE	FINISHINGS	COLOR CABLE	PRODUCT NAME
	Ø 21 cm / 8.30"	F04	GOLD SILK	VEGAS S VRT70
	H 4,5 cm / 1.80"			VEGAS S VRT90
				VEGAS S VRT140


SINGLE CANOPY

	SIZE	FINISHINGS	COLOR CABLE	PRODUCT NAME
	Ø 30 cm / 11.80"	F04	GOLD SILK	VEGAS S VRT180
	H 4,5 cm / 1.80"			


SINGLE CANOPY

	SIZE	FINISHINGS	COLOR CABLE	PRODUCT NAME
	W 35,5 cm / 14.00"	F04	GOLD SILK	VEGAS BIL90
	D 8 cm / 3.10"			VEGAS BIL140
	H 5,2 cm / 2.0"			VEGAS BIL180
				VEGAS S OV85
				VEGAS S OV120
				VEGAS S OV 160


LINEAR CANOPY LN 75

	SIZE	FINISHINGS	COLOR CABLE	PRODUCT NAME
	W 75 cm / 29.50" D 20 cm / 7.90" H 4 cm / 1.60"	V98	GOLD SILK	VEGAS C3 LN 75


LINEAR CANOPY LN 125

	SIZE	FINISHINGS	COLOR CABLE	PRODUCT NAME
	W 125 cm / 49.20" D 20 cm / 7.90" H 4 cm / 1.60"	V98	GOLD SILK	VEGAS C5 LN 125


LINEAR CANOPY LN 175

	SIZE	FINISHINGS	COLOR CABLE	PRODUCT NAME
	W 175 cm / 68.90" D 20 cm / 7.90" H 4 cm / 1.60"	V98	GOLD SILK	VEGAS C7 LN 175


ROUND CANOPY RD 40

	SIZE	FINISHINGS	COLOR CABLE	PRODUCT NAME
	Ø 40 cm / 15.70" H 4 cm / 1.60"	V98	GOLD SILK	VEGAS C3 RD 40

ROUND CANOPY RD 60

	SIZE	FINISHINGS	COLOR CABLE	PRODUCT NAME
	Ø 60 cm / 23.60" H 4 cm / 1.60"	V98	GOLD SILK	VEGAS C5 RD 60

ROUND CANOPY RD 80

	SIZE	FINISHINGS	COLOR CABLE	PRODUCT NAME
	Ø 80 cm / 31.50" H 4 cm / 1.60"	V98	GOLD SILK	VEGAS C7 RD 80