

Aqaba

SUSPENSION
CEILING
APPLIQUE

Telaio in metallo galvanizzato con braccia ricoperte in vetro trasparente. Pendagli trasparenti in vetro o cristallo. Illuminazione tradizionale o LED integrato.

Galvanised metal frame with arms covered in clear glass. Clear glass or clear crystal pendants. Traditional or integrated LED lighting.

Galvanisch beschichtete Metallstruktur, Arme mit transparentem Glas ummantelt. Transparenter Behang aus Glas bzw. Kristall. Herkömmliche Beleuchtung oder integriertes LED-Leuchtsystem.

Marco de metal galvanizado con brazos revestidos de vidrio transparente. Colgantes de vidrio o cristal transparente. Iluminación tradicional o LED integrada.

Structure en métal galvanisé avec bras recouverts de verre transparent. Pampilles transparentes en verre ou en cristal. Éclairage traditionnel ou à LED intégré.


Каркас из оцинкованного металла с арматурными элементами, покрытыми прозрачным стеклом. Подвески из прозрачного стекла или хрусталя. Лампы традиционного типа или встроенные светодиодные элементы.

电镀金属灯架，带透明玻璃装饰的灯臂。
透明玻璃或水晶吊坠。
传统照明灯或集成 LED 灯。

إطار معدني مجلفن بأذرع مغطاة بالزجاج الشفاف.

المعلقات الزجاجية أو الكريستالية الشفافة.

الإضاءة التقليدية أو إضاءة ليد المدمجة.



FINISHINGS

STANDARD



G03 Oro lucido
Shiny gold



G04 Cromo lucido
Shiny chrome


PENDANTS

HALF CUT GLASS
CUT CRYSTAL
PREMIUM CRYSTAL



TR Trasparente
Transparent

STANDARD CHAIN



DYNAMIC WHITE - INTEGRATED LED LIGHTING



Il sistema di illuminazione Dynamic White LED permette di personalizzare la temperatura della luce ricreando il ciclo naturale del sole, seguendo il ritmo del ciclo circadiano.

La luce bianca può essere regolata ad una temperatura compresa tra i 2200°K e 6500°K grazie ai diversi sistemi di controllo della dimmerazione previsti.

Ogni dispositivo Aqaba può essere gestito alternativamente nei seguenti modi: protocollo DMX, telecomando, pannello di controllo, Tuya, Alexa, Google Home.

The Dynamic White LED lighting system adjusts the temperature of the light by recreating the natural cycle of the sun, following the rhythm of the circadian cycle.

White light can be adjusted to a temperature ranging from 2200°K to 6500°K thanks to the various dimming control systems provided.

Each Aqaba device can be alternatively managed in the following ways: DMX protocol, remote control, control panel, Tuya, Alexa, Google Home.

SINGLE WARM WHITE LED DIODE = 242 NOMINAL LM
SINGLE COLD WHITE LED DIODE = 300 NOMINAL LM

COMPOSITE WHITE LED= 1084 NOMINAL LM

LED WHITE CRI >90

RGB-W - INTEGRATED LED LIGHTING



Grazie al sistema di illuminazione RGB-W LED, il lampadario Aqaba trasforma la luce in colore puro, colorando l'ambiente di infinite sfumature.

Le superfici cambiano aspetto e l'intero ambiente si modifica in base al tuo umore. Può essere ottenuta anche luce bianca a 3000°K.

Ogni dispositivo Aqaba può essere gestito alternativamente nei seguenti modi: protocollo DMX, telecomando, pannello di controllo, Tuya, Alexa, Google Home.

Through the RGB-W LED lighting system, the Aqaba chandelier transforms light into pure colour, filling the space with infinite nuances.

Surfaces alter their appearance and the whole ambience changes according to your mood. White light at 3000°K can also be obtained.

Each Aqaba device can be alternatively managed in the following ways: DMX protocol, remote control, control panel, Tuya, Alexa, Google Home.

SINGLE RED LED DIODE = 150 NOMINAL LM
SINGLE GREEN LED DIODE = 236 NOMINAL LM
SINGLE BLUE LED DIODE = 70 NOMINAL LM
SINGLE WHITE LED DIODE = 280 NOMINAL LM

COMPOSITE WHITE LED= 736 NOMINAL LM

LED WHITE CRI >90

STANDARD LIGHTING




Aqaba illuminazione tradizionale. Lampadine E14.

Aqaba traditional lighting. E14 bulbs.

INTEGRATED LED LIGHTING DIMMING CONTROL OPTIONS



STANDARD LIGHTING DIMMING CONTROL



AQABA S 5/48/47

Ø 52 cm / 20.50"
H 47 cm / 18.50"
■ 6 kg / 13.20 lb


INTEGRATED LED LIGHTING

RGB-W 5×LED SOURCE - 42,5 W TOT

DW 5×LED SOURCE - 40,5 W TOT

STANDARD LIGHTING

5×E14×10 W MAX (NOT INCL.)



AQABA S 8/62/50

Ø 68 cm / 26.80"
H 50 cm / 19.70"
■ 9 kg / 19.80 lb


INTEGRATED LED LIGHTING

RGB-W 8×LED SOURCE - 68 W TOT

DW 8×LED SOURCE - 64,8 W TOT

STANDARD LIGHTING

8×E14×10 W MAX (NOT INCL.)



AQABA S 12/95/94

Ø 97 cm / 38.20"
H 94 cm / 37.00"
■ 27 kg / 59.40 lb


INTEGRATED LED LIGHTING

RGB-W 12×LED SOURCE - 102 W TOT

DW 12×LED SOURCE - 97,2 W TOT

STANDARD LIGHTING

12×E14×10 W MAX (NOT INCL.)



AQABA S 15/88/62

Ø 92 cm / 36.20"
H 62 cm / 24.40"
■ 19 kg / 41.80 lb


INTEGRATED LED LIGHTING

RGB-W 15×LED SOURCE - 127,5 W TOT

DW 15×LED SOURCE - 121,5 W TOT

STANDARD LIGHTING

15×E14×10 W MAX (NOT INCL.)



AQABA S 15/90/80

Ø 90 cm / 35.40"
H 80 cm / 31.50"
■ 20 kg / 44.00 lb


INTEGRATED LED LIGHTING

RGB-W 15×LED SOURCE - 127,5 W TOT

DW 15×LED SOURCE - 121,5 W TOT

STANDARD LIGHTING

15×E14×10 W MAX (NOT INCL.)



AQABA S 18/105/65

Ø 114 cm / 44.90"
H 70 cm / 27.60"
■ 23 kg / 50.60 lb


INTEGRATED LED LIGHTING

RGB-W 18×LED SOURCE - 153 W TOT

DW 18×LED SOURCE - 145,8 W TOT

STANDARD LIGHTING

18×E14×10 W MAX (NOT INCL.)



AQABA S 18/120/100

Ø 120 cm / 47.20"
H 100 cm / 39.40"
■ 35 kg / 77.00 lb


INTEGRATED LED LIGHTING

RGB-W 18×LED SOURCE - 153 W TOT

DW 18×LED SOURCE - 145,8 W TOT

STANDARD LIGHTING

18×E14×10 W MAX (NOT INCL.)



AQABA S 18/120/115

Ø 120 cm / 47.20"
H 115 cm / 45.30"
■ 41 kg / 90.20 lb


INTEGRATED LED LIGHTING

RGB-W 18×LED SOURCE - 153 W TOT

DW 18×LED SOURCE - 145,8 W TOT

STANDARD LIGHTING

18×E14×10 W MAX (NOT INCL.)



AQABA S 18/140/172

Ø 140 cm / 55.10"
H 172 cm / 67.70"
■ 38 kg / 83.60 lb

INTEGRATED LED LIGHTING




RGB-W 18×LED SOURCE - 153 W TOT

DW 18×LED SOURCE - 145,8 W TOT

STANDARD LIGHTING



18×E14×10 W MAX (NOT INCL.)



AQABA S 24/120/134

Ø 120 cm / 47.20"
H 130 cm / 51.20"
■ 43 kg / 94.60 lb

INTEGRATED LED LIGHTING




RGB-W 24×LED SOURCE - 204 W TOT

DW 24×LED SOURCE - 194,4 W TOT

STANDARD LIGHTING



24×E14×10 W MAX (NOT INCL.)



AQABA S 24/130/100

Ø 130 cm / 51.20"
H 103 cm / 40.60"
■ 41 kg / 90.20 lb

INTEGRATED LED LIGHTING




RGB-W 24×LED SOURCE - 204 W TOT

DW 24×LED SOURCE - 194,4 W TOT

STANDARD LIGHTING



24×E14×10 W MAX (NOT INCL.)



AQABA S 24/155/130

Ø 155 cm / 61.00"
H 130 cm / 51.20"
■ 55 kg / 121.00 lb

INTEGRATED LED LIGHTING




RGB-W 24×LED SOURCE - 204 W TOT

DW 24×LED SOURCE - 194,4 W TOT

STANDARD LIGHTING



24×E14×10 W MAX (NOT INCL.)



AQABA S 25/100/90

Ø 100 cm / 39.40"
H 90 cm / 35.40"
■ 30 kg / 66.00 lb

INTEGRATED LED LIGHTING




RGB-W 25×LED SOURCE - 212,5 W TOT

DW 25×LED SOURCE - 202,5 W TOT

STANDARD LIGHTING



25×E14×10 W MAX (NOT INCL.)



AQABA S 25/110/140

Ø 114 cm / 44.90"
H 140 cm / 55.10"
■ 41 kg / 90.20 lb

INTEGRATED LED LIGHTING




RGB-W 25×LED SOURCE - 212,5 W TOT

DW 25×LED SOURCE - 202,5 W TOT

STANDARD LIGHTING



25×E14×10 W MAX (NOT INCL.)



AQABA S 32/130/105

Ø 134 cm / 52.80"
H 105 cm / 41.30"
■ 53 kg / 116.60 lb

INTEGRATED LED LIGHTING




RGB-W 32×LED SOURCE - 272 W TOT

DW 32×LED SOURCE - 259,2 W TOT

STANDARD LIGHTING



32×E14×10 W MAX (NOT INCL.)



AQABA S 32/130/170

Ø 134 cm / 52.80"
H 170 cm / 66.90"
■ 45 kg / 99.00 lb

INTEGRATED LED LIGHTING




RGB-W 32×LED SOURCE - 272 W TOT

DW 32×LED SOURCE - 259,2 W TOT

STANDARD LIGHTING



32×E14×10 W MAX (NOT INCL.)



Ⓜ : for the US market, refer to the relevant price list.

AQABA S 36/165/160

Ø 165 cm / 65.00"
H 160 cm / 63.00"
■ 90 kg / 198.00 lb

INTEGRATED LED LIGHTING




RGB-W 36×LED SOURCE - 306 W TOT

DW 36×LED SOURCE - 291,6 W TOT

STANDARD LIGHTING



36×E14×10 W MAX (NOT INCL.)



AQABA S 40/200/155

Ø 200 cm / 78.70"
H 155 cm / 61.00"
■ 82 kg / 180.40 lb

INTEGRATED LED LIGHTING




RGB-W 40×LED SOURCE - 340 W TOT

DW 40×LED SOURCE - 324 W TOT

STANDARD LIGHTING



40×E14×10 W MAX (NOT INCL.)



AQABA S 48/215/120

Ø 215 cm / 84.60"
H 120 cm / 47.20"
■ 93 kg / 204.60 lb

INTEGRATED LED LIGHTING




RGB-W 48×LED SOURCE - 408 W TOT

DW 48×LED SOURCE - 388,8 W TOT

STANDARD LIGHTING



48×E14×10 W MAX (NOT INCL.)



AQABA S 56/185/165

Ø 185 cm / 72.80"
H 165 cm / 65.00"
■ 108 kg / 237.60 lb

INTEGRATED LED LIGHTING




RGB-W 56×LED SOURCE - 476 W TOT

DW 56×LED SOURCE - 453,6 W TOT

STANDARD LIGHTING



56×E14×10 W MAX (NOT INCL.)



AQABA S 56/185/230

Ø 189 cm / 74.40"
H 230 cm / 90.60"
■ 103 kg / 226.60 lb

INTEGRATED LED LIGHTING




RGB-W 56×LED SOURCE - 476 W TOT

DW 56×LED SOURCE - 453,6 W TOT

STANDARD LIGHTING



56×E14×10 W MAX (NOT INCL.)



AQABA S 56/210/190

Ø 210 cm / 82.70"
H 190 cm / 74.80"
■ 132 kg / 290.40 lb

INTEGRATED LED LIGHTING




RGB-W 56×LED SOURCE - 476 W TOT

DW 56×LED SOURCE - 453,6 W TOT

STANDARD LIGHTING



56×E14×10 W MAX (NOT INCL.)



AQABA S 65/170/250

Ø 170 cm / 66.90"
H 250 cm / 98.40"
■ 142 kg / 312.40 lb

INTEGRATED LED LIGHTING




RGB-W 65×LED SOURCE - 552,5 W TOT

DW 65×LED SOURCE - 526,5 W TOT

STANDARD LIGHTING



65×E14×10 W MAX (NOT INCL.)



AQABA S 70/150/380

Ø 152 cm / 59.80"
H 380 cm / 149.60"
■ 105 kg / 231.00 lb

INTEGRATED LED LIGHTING




RGB-W 70×LED SOURCE - 595 W TOT

DW 70×LED SOURCE - 567 W TOT

STANDARD LIGHTING



70×E14×10 W MAX (NOT INCL.)



Ⓢ : for the US market, refer to the relevant price list.

AQABA S 70/245/290

Ø	245 cm / 96.50"
H	290 cm / 114.20"
■	233 kg / 512.60 lb

INTEGRATED LED LIGHTING



RGB-W 70×LED SOURCE - 595 W TOT

DW 70×LED SOURCE - 567 W TOT

STANDARD LIGHTING



70×E14×10 W MAX (NOT INCL.)

AQABA S 116/245/400

Ø	253 cm / 99.60"
H	400 cm / 157.50"
■	200 kg / 440.00 lb

INTEGRATED LED LIGHTING





RGB-W 116×LED SOURCE - 986 W TOT

DW 116×LED SOURCE - 939,6 W TOT

STANDARD LIGHTING



116×E14×10 W MAX (NOT INCL.)



AQABA PL 5/82/36

Ø 82 cm / 32.30"
H 36 cm / 14.20"
■ 15 kg / 33.00 lb


INTEGRATED LED LIGHTING

RGB-W 5×LED SOURCE - 42,5 W TOT

DW 5×LED SOURCE - 40,5 W TOT

STANDARD LIGHTING

5×E14×10 W MAX (NOT INCL.)



AQABA PL 7/100/40

Ø 100 cm / 39.40"
H 40 cm / 15.70"
■ 25 kg / 55.00 lb


INTEGRATED LED LIGHTING

RGB-W 7×LED SOURCE - 59,5 W TOT

DW 7×LED SOURCE - 56,7 W TOT

STANDARD LIGHTING

7×E14×10 W MAX (NOT INCL.)



AQABA PL 8/120/45

Ø 120 cm / 47.20"
H 45 cm / 17.70"
■ 36 kg / 79.20 lb


INTEGRATED LED LIGHTING

RGB-W 8×LED SOURCE - 68 W TOT

DW 8×LED SOURCE - 64,8 W TOT

STANDARD LIGHTING

8×E14×10 W MAX (NOT INCL.)



AQABA PL 16/155/37 OV

W 155 cm / 61.00"
D 70 cm / 27.60"
H 37 cm / 14.60"
■ 31 kg / 68.20 lb


INTEGRATED LED LIGHTING

RGB-W 16×LED SOURCE - 136 W TOT

DW 16×LED SOURCE - 129,6 W TOT

STANDARD LIGHTING

16×E14×10 W MAX (NOT INCL.)



AQABA PL 20/180/37 OV

W 180 cm / 70.90"
D 70 cm / 27.60"
H 37 cm / 14.60"
■ 40 kg / 88.00 lb


INTEGRATED LED LIGHTING

RGB-W 20×LED SOURCE - 170 W TOT

DW 20×LED SOURCE - 162 W TOT

STANDARD LIGHTING

20×E14×10 W MAX (NOT INCL.)



AQABA A 2/40/36

W	40 cm / 15.70"
D	23 cm / 9.10 "
H	36 cm / 14.20"
■	2,5 kg / 5.50 lb

INTEGRATED LED LIGHTING



RGB-W 2×LED SOURCE - 17 W TOT

DW 2×LED SOURCE - 16,2 W TOT

STANDARD LIGHTING



2×E14×10 W MAX (NOT INCL.)

AQABA A 2/44/37

W	44 cm / 17.30"
D	23 cm / 9.10 "
H	37 cm / 14.60"
■	2 kg / 4.40 lb

INTEGRATED LED LIGHTING





RGB-W 2×LED SOURCE - 17 W TOT

DW 2×LED SOURCE - 16,2 W TOT


STANDARD LIGHTING




2×E14×10 W MAX (NOT INCL.)




SINGLE CANOPY/INTEGRATED LED LIGHTING

	SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	CABLE COLOR	PRODUCT NAME
	Ø 20 cm / 7.90"	G03	G03	GREY	AQABA S 5/48/42
	H 14 cm / 5.50"	G04	G04	GREY	AQABA S 8/62/50


SINGLE CANOPY/INTEGRATED LED LIGHTING

	SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	CABLE COLOR	PRODUCT NAME
	Ø 30 cm / 11.80"	G03	G03	GREY	AQABA S 12/95/94
	H 16 cm / 6.30"	G04	G04	GREY	AQABA S 15/88/62
					AQABA S 15/90/80
					AQABA S 18/105/65
					AQABA S 18/120/100
					AQABA S 18/120/115
					AQABA S 18/140/172
					AQABA S 24/120/134
					AQABA S 24/130/100
					AQABA S 24/155/130
					AQABA S 25/100/90
					AQABA S 25/110/140
					AQABA S 32/130/105
					AQABA S 32/130/170
					AQABA S 36/165/160
					AQABA S 40/200/155
					AQABA S 48/215/120


SINGLE CANOPY/INTEGRATED LED LIGHTING

	SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	CABLE COLOR	PRODUCT NAME
	Ø 35 cm / 13.80"	G03	G03	GREY	AQABA S 56/185/165
	H 21 cm / 8.30"	G04	G04	GREY	AQABA S 56/185/230
					AQABA S 56/210/190
					AQABA S 65/170/250
					AQABA S 70/150/380
					AQABA S 70/245/290


SINGLE CANOPY/INTEGRATED LED LIGHTING

	SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	CABLE COLOR	PRODUCT NAME
	Ø 40 cm / 15.70"	G03	G03	GREY	AQABA S 116/245/400
	H 20 cm / 7.90"	G04	G04	GREY	

SINGLE CANOPY/STANDARD LIGHTING

	SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	CABLE COLOR	PRODUCT NAME
	Ø 16,5 cm / 6.50"	● G03	● G03	● GOLD SILK	AQABA S 5/48/42
	H 8 cm / 3.10"	● G04	● G04	● BLACK SILK	AQABA S 8/62/50
					AQABA S 12/95/94
					AQABA S 15/88/62
					AQABA S 15/90/80
					AQABA S 18/105/65
					AQABA S 25/100/90
					AQABA S 25/110/140

SINGLE CANOPY/STANDARD LIGHTING

	SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	CABLE COLOR	PRODUCT NAME
	Ø 20,5 cm / 8.10"	● G03	● G03	● GOLD SILK	AQABA S 18/120/100
	H 10 cm / 3.90"	● G04	● G04	● BLACK SILK	AQABA S 18/120/115
					AQABA S 18/140/172
					AQABA S 24/120/134
					AQABA S 24/130/100
					AQABA S 24/155/130
					AQABA S 32/130/105
					AQABA S 32/130/170
					AQABA S 36/165/160
					AQABA S 40/200/155
					AQABA S 48/215/120
					AQABA S 56/185/165
					AQABA S 56/185/230
					AQABA S 56/210/190
					AQABA S 65/170/250
					AQABA S 70/150/380
					AQABA S 70/245/290
					AQABA S 116/245/400