


# Na-ar

SUSPENSION  
APPLIQUE  
TABLE LAMP



Struttura in ottone rigato verniciato e spazzolato a mano. Illuminazione Led integrato.

Fluted brass structure, painted and hand-brushed. Integrated LED lighting.

Struktur aus lackiertem Messing mit Riffelung, handgebürstet. Integrierte LED-Beleuchtung.

Estructura de latón estriado, pintado y cepillado a mano. Iluminación LED integrada.

Structure en laiton strié, laqué et brossé à la main. Éclairage LED intégré.

Каркас из рифленной латуни с матовым покрытием, обработанный щеткой вручную. Встроенная светодиодная подсветка.

黄铜结构, 经手工喷涂及拉丝处理, 呈现直纹效果。所有型号均内置 LED 光源。

هيكل من النحاس المخطط، مطلي، وبمظهر تأثير الفرشاة اليدوية. إضاءة LED مدمجة.

## FINISHINGS

### STANDARD




VT1 Sabbia di Marte\*  
Mars Dust




VT2 Oro tenue\*  
Pale gold

\* AVAILABLE ONLY FOR NA-AR


## STANDARD CABLES



**NA-AR S1 A** 


∅	3 cm / 1,20"
H	41 cm / 16,10"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
5,8 W CRI>90 3000 K - 555 NOMINAL LM	
<b>ON REQUEST</b>	
5,8 W CRI>90 2700 K - 515 NOMINAL LM	
<b>DIMMABLE</b>	
TRIAC	



**NA-AR S1 B** 


∅	3 cm / 1,20"
H	42 cm / 16,50"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
5,8 W CRI>90 3000 K - 555 NOMINAL LM	
<b>ON REQUEST</b>	
5,8 W CRI>90 2700 K - 515 NOMINAL LM	
<b>DIMMABLE</b>	
TRIAC	



**NA-AR S1 C** 


∅	3 cm / 1,20"
H	44,5 cm / 17,50"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
5,8 W CRI>90 3000 K - 555 NOMINAL LM	
<b>ON REQUEST</b>	
5,8 W CRI>90 2700 K - 515 NOMINAL LM	
<b>DIMMABLE</b>	
TRIAC	



**NA-AR S1 D** 


∅	3 cm / 1,20"
H	64,5 cm / 25,40"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
5,8 W CRI>90 3000 K - 555 NOMINAL LM	
<b>ON REQUEST</b>	
5,8 W CRI>90 2700 K - 515 NOMINAL LM	
<b>DIMMABLE</b>	
TRIAC	



**NA-AR S1 E** 


∅	3 cm / 1,20"
H	63 cm / 24,80"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
5,8 W CRI>90 3000 K - 555 NOMINAL LM	
<b>ON REQUEST</b>	
5,8 W CRI>90 2700 K - 515 NOMINAL LM	
<b>DIMMABLE</b>	
TRIAC	




**NA-AR S1 F** 

∅	3 cm / 1,20"
H	64,5 cm / 25,40"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
5,8 W CRI>90 3000 K - 555 NOMINAL LM	
<b>ON REQUEST</b>	
5,8 W CRI>90 2700 K - 515 NOMINAL LM	
<b>DIMMABLE</b>	
TRIAC	



**NA-AR S1 G** 


∅	3 cm / 1,20"
H	82 cm / 32,30"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
5,8 W CRI>90 3000 K - 555 NOMINAL LM	
<b>ON REQUEST</b>	
5,8 W CRI>90 2700 K - 515 NOMINAL LM	
<b>DIMMABLE</b>	
TRIAC	



**NA-AR S1 H** 

∅	3 cm / 1,20"
H	82 cm / 32,30"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
5,8 W CRI>90 3000 K - 555 NOMINAL LM	
<b>ON REQUEST</b>	
5,8 W CRI>90 2700 K - 515 NOMINAL LM	
<b>DIMMABLE</b>	
TRIAC	



**NA-AR S1 I** 

∅	3 cm / 1,20"
H	84,5 cm / 33,30"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
5,8 W CRI>90 3000 K - 555 NOMINAL LM	
<b>ON REQUEST</b>	
5,8 W CRI>90 2700 K - 515 NOMINAL LM	
<b>DIMMABLE</b>	
TRIAC	



NA-AR TL CE

∅ 5 cm / 2,00"  
H 41,5 cm / 16,30"

STANDARD INTEGRATED LED LIGHTING


9 W CRI>90  
3000 K - 1104 NOMINAL LM

ON REQUEST

9 W CRI>90  
2700 K - 1064 NOMINAL LM

DIMMABLE

OWN BUTTON



NA-AR A3 CE

w 15 cm / 5,90"  
D 6,5 cm / 2,60"  
H 70 cm / 27,60"

STANDARD INTEGRATED LED LIGHTING


27 W CRI>90  
3000 K - 3312 NOMINAL LM

ON REQUEST

27 W CRI>90  
2700 K - 3192 NOMINAL LM

DIMMABLE

TRIAC



NA-AR C5 CB 90  
(2X45-3X65)




W 90 cm / 35,40"  
D 30 cm / 11,80"  
H MAX 380 cm / 118,10"

STANDARD INTEGRATED LED LIGHTING  
29 W CRI>90  
3000 K - 2775 NOMINAL LM

ON REQUEST  
29 W CRI>90  
2700 K - 2575 NOMINAL LM

DIMMABLE  
0-10V



NA-AR C7 CB 120  
(2X45-2X65-3X85)




w 120 cm / 47,20"  
D 30 cm / 11,80"  
H MAX 380 cm / 118,10"

STANDARD INTEGRATED LED LIGHTING  
40,6 W CRI>90  
3000 K - 3885 NOMINAL LM

ON REQUEST  
40,6 W CRI>90  
2700 K - 3605 NOMINAL LM

DIMMABLE  
0-10V



NA-AR C10 CB 160  
(4X45-4X65-2X85)





w 160 cm / 63,00"  
D 40 cm / 15,70"  
H MAX 380 cm / 118,10"

STANDARD INTEGRATED LED LIGHTING  
58 W CRI>90  
3000 K - 5500 NOMINAL LM


ON REQUEST  
58 W CRI>90  
2700 K - 5150 NOMINAL LM


DIMMABLE  
0-10V




**NA-AR C3 PB 30**  
(3X45) 


∅	30 cm / 11,80"
H MAX	380 cm / 118,10"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
	17,4 W CRI>90 3000 K - 1665 NOMINAL LM
<b>ON REQUEST</b>	
	17,4 CRI>90 2700 K - 1545 NOMINAL LM
<b>DIMMABLE</b>	
	TRIAC




**NA-AR C5 PB 40**  
(2X45-2X65-1X85) 


∅	40 cm / 15,70"
H MAX	380 cm / 118,10"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
	29 W CRI>90 3000 K - 2775 NOMINAL LM
<b>ON REQUEST</b>	
	29 W CRI>90 2700 K - 2575 NOMINAL LM
<b>DIMMABLE</b>	
	0-10V




**NA-AR C7 PB 60**  
(2X45-2X65-3X85) 


∅	60 cm / 23,60"
H MAX	380 cm / 118,10"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
	40,6 W CRI>90 3000 K - 3885 NOMINAL LM
<b>ON REQUEST</b>	
	40,6 W CRI>90 2700 K - 3605 NOMINAL LM
<b>DIMMABLE</b>	
	0-10V




**NA-AR C9 PB 80**  
(3X45-3X65-3X85) 

∅	80 cm / 31,50"
H MAX	380 cm / 118,10"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
	52,2 W CRI>90 3000 K - 4995 NOMINAL LM
<b>ON REQUEST</b>	
	52,2 W CRI>90 2700 K - 4635 NOMINAL LM
<b>DIMMABLE</b>	
	0-10V



**NA-AR C13 PB 100**  
(4X45-4X65-5X85) 

∅	100 cm / 39,40"
H MAX	380 cm / 118,10"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
	75,4W CRI>90 3000 K - 7215 NOMINAL LM
<b>ON REQUEST</b>	
	75,4 W CRI>90 2700 K - 6695 NOMINAL LM
<b>DIMMABLE</b>	
	0-10V



NA-AR CLUSTER 39  
(18X45-15X65-6X85)




∅ 120 cm / 47,20"  
H 175 cm / 68,90"

STANDARD INTEGRATED LED LIGHTING  
226,2 W CRI>90  
3000 K - 21645 NOMINAL LM

ON REQUEST  
226,2 W CRI>90  
2700 K - 20085 NOMINAL LM

DIMMABLE  
ON REQUEST



NA-AR CLUSTER 12  
(12X65)




∅ 120 cm / 47,20"  
H 65 cm / 25,60"

STANDARD INTEGRATED LED LIGHTING  
69,6 W CRI>90  
3000 K - 6660 NOMINAL LM

ON REQUEST  
69,6 W CRI>90  
2700 K - 6180 NOMINAL LM

DIMMABLE  
ON REQUEST



NA-AR CLUSTER 28  
(11X45-11X65-6X85)




w 449,5 cm / 177,00"  
D 29 cm / 11,40"  
H 85 cm / 33,50"

STANDARD INTEGRATED LED LIGHTING  
162,4 W CRI>90  
3000 K - 15540 NOMINAL LM

ON REQUEST  
162,4 W CRI>90  
2700 K - 14420 NOMINAL LM

DIMMABLE  
ON REQUEST



NA-AR CLUSTER 22  
(6X45-8X65-8X85)




W 303cm / 119,30"  
D 183 cm / 72,00"  
H 82 cm / 32,30"

STANDARD INTEGRATED LED LIGHTING  
127,6 W CRI>90  
3000 K - 12210 NOMINAL LM

ON REQUEST  
127,6 W CRI>90  
2700 K - 11330 NOMINAL LM

DIMMABLE  
ON REQUEST



NA-AR CLUSTER 54  
(18X45-18X65-18X85)




W 513 cm / 202,00"  
D 303 cm / 119,30"  
H 245 cm / 96,50"


STANDARD INTEGRATED LED LIGHTING  
313,2 W CRI>90  
3000 K - 29970 NOMINAL LM

ON REQUEST  
313,2 W CRI>90  
2700 K - 27810 NOMINAL LM

DIMMABLE  
ON REQUEST




SINGLE CANOPY




SIZE	FINISHINGS	CANOPY FINISHING	PRODUCT NAME
Ø 12 cm / 4.70"	● VT1	● V90	NA-AR S A-B-C-D-E-F-
H 12 cm / 4.70"	● VT2	● V90	G-H-I

COBBLE CANOPY



CANOPY CB 90




SIZE	DESCRIPTION	SYSTEM
W 90 cm / 35.40"	COBBLE CANOPY FOR UP TO 5 SUSPENSION	Cluster
D 30 cm / 11.80"		
H 4.2 cm / 1.65"		

FINISHINGS



CANOPY CB 120




SIZE	DESCRIPTION	SYSTEM
W 120 cm / 47.20"	COBBLE CANOPY FOR UP TO 7 SUSPENSION	Cluster
D 30 cm / 11.80"		
H 4.2 cm / 1.65"		

FINISHINGS



CANOPY CB 120




SIZE	DESCRIPTION	SYSTEM
W 120 cm / 47.20"	COBBLE CANOPY FOR UP TO 10 SUSPENSION	Cluster
D 30 cm / 11.80"		
H 4.2 cm / 1.65"		

FINISHINGS



CANOPY CB 160




SIZE	DESCRIPTION	SYSTEM
W 160 cm / 63.00"	COBBLE CANOPY FOR UP TO 13 SUSPENSION	Cluster
D 40 cm / 15.70"		
H 4.2 cm / 1.65"		


FINISHINGS





PEBBLE CANOPY






CANOPY PB 30




SIZE	DESCRIPTION	SYSTEM
Ø 30 cm / 11.80" H 4.2 cm / 1.65"	PEBBLE CANOPY FOR UP TO 3 SUSPENSION	Cluster
FINISHINGS		
 		
V98	V91	



CANOPY PB 40




SIZE	DESCRIPTION	SYSTEM
Ø 40 cm / 15.70" H 4.2 cm / 1.65"	PEBBLE CANOPY FOR UP TO 5 SUSPENSION	Cluster
FINISHINGS		
 		
V98	V91	



CANOPY PB 60




SIZE	DESCRIPTION	SYSTEM
Ø 60 cm / 23.60" H 4.2 cm / 1.65"	PEBBLE CANOPY FOR UP TO 7 SUSPENSION	Cluster
FINISHINGS		
 		
V98	V91	



CANOPY PB 80



SIZE	DESCRIPTION	SYSTEM
Ø 80 cm / 31.50" H 4.2 cm / 1.65"	PEBBLE CANOPY FOR UP TO 9 SUSPENSION	Cluster
FINISHINGS		
 		
V98	V91	

CANOPY PB 100



SIZE	DESCRIPTION	SYSTEM
Ø 100 cm / 39.40" H 4.2 cm / 1.65"	PEBBLE CANOPY FOR UP TO 13 SUSPENSION	Cluster
FINISHINGS		
 		
V98	V91	