

Serica

SUSPENSION

Struttura in metallo verniciato opaco con dettagli in galvanica spazzolata o totalmente galvanizzata. Illuminazione Led integrato.

Matt-painted metal structure with brushed galvanic details or fully galvanized. Integrated LED lighting.

Struktur aus mattem Lackmetall mit Details in gebürsteter Galvanik oder vollständig galvanisierter Ausführung. Integrierte LED-Beleuchtung.


Estructura de metal pintado en mate con detalles en galvanizado cepillado o totalmente galvanizado. Iluminación LED integrada.

Structure en métal laqué mat avec détails en galvanique brossée ou entièrement galvanisée. Éclairage LED intégré.

Металлический каркас с матовым покрытием и деталями из брашированной гальваники или полностью гальванизованный. Встроенная светодиодная подсветка.

哑光喷涂金属结构, 可选择搭配拉丝电镀细节, 也可选择整体全电镀工艺。所有型号均内置 LED 光源

هيكل معدني مطلي بطلاء غير لامع مع تفاصيل مصقولة أو مجلفنة بالكامل. إضاءة LED مدمجة



FINISHINGS

STANDARD

FRAME FINISHING: MATT PAINTED
METAL DETAILS: GALVANIC BATH



v9T Nero profondo+Champagne spazzolato
G30 Deep black+Brushed champagne



v9T Nero profondo+Oro bronzato spazzolato
G31 Deep black+Brushed golden bronze



v9T Nero profondo+Rame spazzolato
G29 Deep black+Brushed copper



v9T Nero profondo+Oro spazzolato
G26 Deep black+Brushed pure gold



v9T Nero profondo+Nickel scuro spazzolato
G27 Deep black+Brushed dark nickel

FRAME FINISHINGS | METAL DETAILS
GALVANIC BATH



G30 Champagne spazzolato
Brushed champagne



G31 Oro bronzato spazzolato
Brushed golden bronze



G29 Rame spazzolato
Brushed copper




G26 Oro spazzolato
Brushed pure gold




G27 Nickel scuro spazzolato
Brushed dark nickel

STANDARD CABLES



BLACK CABLE
H MAX 300 CM / 118.10"

SERICA S1 40 

∅ 2,5 cm / 1.00"
H 40 cm / 15.70"

STANDARD INTEGRATED LED LIGHTING
5,8 W CRI>90
3000 K - 555 NOMINAL LM

ON REQUEST
5,8 W CRI>90
2700 K - 515 NOMINAL LM

DIMMABLE
TRIAC




SERICA S1 60 

∅ 2,5 cm / 1.00"
H 60 cm / 19.70"

STANDARD INTEGRATED LED LIGHTING
5,8 W CRI>90
3000 K - 555 NOMINAL LM

ON REQUEST
5,8 W CRI>90
2700 K - 515 NOMINAL LM

DIMMABLE
TRIAC



SERICA S1 80 


∅ 2,5 cm / 1.00"
H 80 cm / 31.50"

STANDARD INTEGRATED LED LIGHTING
5,8 W CRI>90
3000 K - 555 NOMINAL LM

ON REQUEST
5,8 W CRI>90
2700 K - 515 NOMINAL LM

DIMMABLE
TRIAC




SERICA C5 CB 90
(2x40-2x60-1x80) 


W 90 cm / 35.40"
D 30 cm / 11.80"
H MAX 380 cm / 149.60"

STANDARD INTEGRATED LED LIGHTING
29 W CRI>90
3000 K - 2775 NOMINAL LM

ON REQUEST
29 W CRI>90
2700 K - 2575 NOMINAL LM

DIMMABLE
0-10V




SERICA C7 CB 120
(2x40-2x60-3x80) 


W 120 cm / 47.20"
D 30 cm / 11.80"
H MAX 380 cm / 149.60"

STANDARD INTEGRATED LED LIGHTING
40,6 W CRI>90
3000 K - 3885 NOMINAL LM

ON REQUEST
40,6 W CRI>90
2700 K - 3605 NOMINAL LM

DIMMABLE
0-10V




SERICA C10 CB 160
(3x40-4x60-3x80) 


W 160 cm / 63.00"
D 40 cm / 15.70"
H MAX 380 cm / 149.60"

STANDARD INTEGRATED LED LIGHTING
58 W CRI>90
3000 K - 5550 NOMINAL LM

ON REQUEST
58 W CRI>90
2700 K - 5150 NOMINAL LM


DIMMABLE
0-10V




SERICA C3 PB 30
(1x40-1x60-1x80) 

∅ 30 cm / 11.80"
H MAX 380 cm / 149.60"


STANDARD INTEGRATED LED LIGHTING
17,4 W CRI>90 3000 K - 1665 NOMINAL LM
ON REQUEST
17,4 W CRI>90 2700 K - 1545 NOMINAL LM
DIMMABLE
TRIAC




SERICA C5 PB 40
(2x40-2x60-1x80) 

∅ 40 cm / 15.70"
H MAX 380 cm / 149.60"


STANDARD INTEGRATED LED LIGHTING
29 W CRI>90 3000 K - 2775 NOMINAL LM
ON REQUEST
29 W CRI>90 2700 K - 2575 NOMINAL LM
DIMMABLE
0-10V




SERICA C7 PB 60
(2x40-2x60-3x80) 

∅ 60 cm / 23.60"
H MAX 380 cm / 149.60"


STANDARD INTEGRATED LED LIGHTING
40,6 W CRI>90 3000 K - 3885 NOMINAL LM
ON REQUEST
40,6 W CRI>90 2700 K - 3605 NOMINAL LM
DIMMABLE
0-10V




SERICA C9 PB 80
(3x40-3x60-3x80) 

∅ 80 cm / 31.50"
H MAX 380 cm / 149.60"


STANDARD INTEGRATED LED LIGHTING
52,2 W CRI>90 3000 K - 4995 NOMINAL LM
ON REQUEST
52,2 W CRI>90 2700 K - 4635 NOMINAL LM
DIMMABLE
0-10V



SERICA C13 PB 100
(4x40-4x60-5x80) 

∅ 100 cm / 39.40"
H MAX 380 cm / 149.60"


STANDARD INTEGRATED LED LIGHTING
75,4 W CRI>90 3000 K - 7215 NOMINAL LM
ON REQUEST
75,4 W CRI>90 2700 K - 6695 NOMINAL LM
DIMMABLE
0-10V



SERICA CLUSTER 11
(5X40-4X60-2X80)




∅	100 cm / 39,40"
H	165 cm / 65,00"
STANDARD INTEGRATED LED LIGHTING	
63,8 W CRI>90	
3000 K - 6105 NOMINAL LM	
ON REQUEST	
63,8 W CRI>90	
2700 K - 5665 NOMINAL LM	
DIMMABLE	
ON REQUEST	



SERICA CLUSTER 12
(12X60)




∅	120 cm / 47,20"
H	60 cm / 23,60"
STANDARD INTEGRATED LED LIGHTING	
69,6 W CRI>90	
3000 K - 6660 NOMINAL LM	
ON REQUEST	
69,6 W CRI>90	
2700 K - 6180 NOMINAL LM	
DIMMABLE	
ON REQUEST	



SERICA CLUSTER 39
(18X40-15X60-6X80)




∅	120 cm / 47,20"
H	165 cm / 65,00"
STANDARD INTEGRATED LED LIGHTING	
226,2 W CRI>90	
3000 K - 21645 NOMINAL LM	
ON REQUEST	
226,2 W CRI>90	
2700 K - 20085 NOMINAL LM	
DIMMABLE	
ON REQUEST	



SERICA CLUSTER 28
(11X40-11X60-6X80)



W	449 cm / 177,00"
D	29 cm / 11,40"
H	80 cm / 31,50"
STANDARD INTEGRATED LED LIGHTING	
162,4 W CRI>90	
3000 K - 15540 NOMINAL LM	
ON REQUEST	
162,4 W CRI>90	
2700 K - 14420 NOMINAL LM	
DIMMABLE	
ON REQUEST	



SERICA CLUSTER 22
(6X40-8X60-8X80)




W 303cm / 119,30"
D 183 cm / 72,00"
H 165 cm / 65,00"

STANDARD INTEGRATED LED LIGHTING
127,6 W CRI>90
3000 K - 12210 NOMINAL LM

ON REQUEST
127,6 W CRI>90
2700 K - 11330 NOMINAL LM

DIMMABLE
ON REQUEST



SERICA CLUSTER 54
(18X40-18X60-18X80)




W 513 cm / 202,00"
D 303 cm / 119,30"
H 245 cm / 96,50"

STANDARD INTEGRATED LED LIGHTING
313,2 W CRI>90
3000 K - 29970 NOMINAL LM


ON REQUEST
313,2 W CRI>90
2700 K - 27810 NOMINAL LM

DIMMABLE
ON REQUEST



Serica S1 40


MATT PAINTED FRAME



V9T + G30 V9T + G31 V9T + G29 V9T + G26 V9T + G27

Serica S1 60


MATT PAINTED FRAME



V9T + G30 V9T + G31 V9T + G29 V9T + G26 V9T + G27

Serica S1 80


MATT PAINTED FRAME



V9T + G30 V9T + G31 V9T + G29 V9T + G26 V9T + G27


Serica S1 40

GALVANIC BATH FRAME




Serica S1 60

GALVANIC BATH FRAME




Serica S1 80


GALVANIC BATH FRAME




SINGLE CANOPY

	SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME
	ø	12 cm / 4.70"	● V9T	SERICA S1 40 - S1 60 - S1 80
	H	12 cm / 4.70"	● V90	
		● G30	● V90	
		● G31	● V90	
		● G29	● V90	
		● G26	● V90	
		● G27	● V90	

COBBLE CANOPY



CANOPY CB 90



SIZE	DESCRIPTION	SYSTEM
W 90 cm / 35.40"	COBBLE CANOPY FOR UP TO 5 SUSPENSION	Cluster
D 30 cm / 11.80"		
H 4.2 cm / 1.65"		


FINISHINGS



V98

V91

CANOPY CB 120



SIZE	DESCRIPTION	SYSTEM
W 120 cm / 47.20"	COBBLE CANOPY FOR UP TO 7 SUSPENSION	Cluster
D 30 cm / 11.80"		
H 4.2 cm / 1.65"		


FINISHINGS



V98

V91

CANOPY CB 120



SIZE	DESCRIPTION	SYSTEM
W 120 cm / 47.20"	COBBLE CANOPY FOR UP TO 10 SUSPENSION	Cluster
D 30 cm / 11.80"		
H 4.2 cm / 1.65"		


FINISHINGS



V98

V91

CANOPY CB 160



SIZE	DESCRIPTION	SYSTEM
W 160 cm / 63.00"	COBBLE CANOPY FOR UP TO 13 SUSPENSION	Cluster
D 40 cm / 15.70"		
H 4.2 cm / 1.65"		


FINISHINGS




V98



V91

PEBBLE CANOPY






CANOPY PB 30




SIZE	DESCRIPTION	SYSTEM
Ø 30 cm / 11.80" H 4.2 cm / 1.65"	PEBBLE CANOPY FOR UP TO 3 SUSPENSION	Cluster
FINISHINGS		
 		
V98	V91	



CANOPY PB 40




SIZE	DESCRIPTION	SYSTEM
Ø 40 cm / 15.70" H 4.2 cm / 1.65"	PEBBLE CANOPY FOR UP TO 5 SUSPENSION	Cluster
FINISHINGS		
 		
V98	V91	



CANOPY PB 60




SIZE	DESCRIPTION	SYSTEM
Ø 60 cm / 23.60" H 4.2 cm / 1.65"	PEBBLE CANOPY FOR UP TO 7 SUSPENSION	Cluster
FINISHINGS		
 		
V98	V91	



CANOPY PB 80



SIZE	DESCRIPTION	SYSTEM
Ø 80 cm / 31.50" H 4.2 cm / 1.65"	PEBBLE CANOPY FOR UP TO 9 SUSPENSION	Cluster
FINISHINGS		
 		
V98	V91	

CANOPY PB 100



SIZE	DESCRIPTION	SYSTEM
Ø 100 cm / 39.40" H 4.2 cm / 1.65"	PEBBLE CANOPY FOR UP TO 13 SUSPENSION	Cluster
FINISHINGS		
 		
V98	V91	