


Nappe

SUSPENSION
APPLIQUE
FLOOR LAMP
TABLE LAMP



Struttura in metallo verniciato con astine di metallo o Pyrex. Diffusori in Pyrex. Illuminazione a LED. Nappe XM e XL disponibili con inserti in cuoio.

Painted metal frame with metal or pyrex rods. Pyrex diffusers. LED lighting. Nappe XM and XL available with leather inserts.

Lackierte Metallstruktur mit Metall- oder Pyrex-Stäben. Pyrex-Diffusoren. LED-Beleuchtung. Nappe XM und XL mit Ledereinsätzen erhältlich.

Estructura de metal pintada con varillas metálicas o de Pyrex. Difusores de Pyrex. Iluminación LED. Nappe XM y XL disponibles con inserciones de cuero.

Structure en métal peint avec tiges en métal ou en pyrex. Diffuseurs en pyrex. Éclairage à LED. Nappe XM et XL sont disponibles avec des inserts en cuir.

Каркас из окрашенного металла с металлическими или стеклянными стержнями из пирекса. Рассеиватели из пирекса. Светодиодное освещение. Nappe XM и XL доступны с кожаными вставками.

这种灯具的结构是涂漆的金属，然而光扩散是小金属棒或玻璃做的。


LED 照明。Nappe XM 和 XL 可提供皮革嵌饰。

هيكل معدني مطلي مع قضبان معدنية أو بيركس. ناشرات ضوء بيركس. إضاءة ليد. تتوفر Nappe XM و XL مزودة بولاتج جلدية.

FINISHINGS

STANDARD FRAME

TOTAL WHITE



V95 Bianco opaco
Matt white

TOTAL BLACK



V90 Nero opaco
Matt Black

TOTAL COPPER*



G29 Rame spazzolato
Brushed copper

* NOT AVAILABLE FOR XM - XL VERSIONS

MIXED COLD



V95 + V21 + V51 + V72

MIXED WARM



V35 + V70 + V84

BROWN LEATHER**



C01 + V70

** ONLY FOR XM - XL VERSIONS

MATERIALS

METAL BEAMS



V93 Oro verniciato
Painted gold



G29 Rame spazzolato
Brushed copper



V95 Bianco opaco
Matt white



V70 Cemento***
Concrete

*** ONLY FOR BROWN LEATHER

DIFFUSER



Smoky Pyrex

NAPPE METAL DETAILS



G12 Oro spazzolato
Brushed gold




G12 Oro spazzolato
Brushed gold



G12 Oro spazzolato
Brushed gold



G29 Rame spazzolato
Brushed copper



G29 Rame spazzolato
Brushed copper

NAPPE XM - XL METAL DETAILS



F01 Foglia Oro
Gold leaf



F01 Foglia Oro
Gold leaf



V70 Cemento***
Concrete


*** ONLY FOR BROWN LEATHER




V70 Cemento***
Concrete

*** ONLY FOR BROWN LEATHER

STANDARD CABLES



SMALL SUSPENSION (NO-N9)
XL AND XM SUSPENSION:
1 SINGLE BLACK CABLE*
(120 CM / 47.20") WITH CANOPY
FOR V95* 1 SINGLE WHITE CABLE



COMPOSITION C3-C5-C10:
2 BLACK CABLES*
(160 CM / 62.99" EACH) WITH
CONNECTION SPHERES
FOR V95* 2 SINGLE WHITE CABLES


NAPPE N0 

∅ 7,5 cm / 3.00"
H 34 cm / 13.40"

STANDARD INTEGRATED LED LIGHTING
5,4 W CRI>90
3000 K - 688 NOMINAL LM

ON REQUEST
5,4 W CRI>90
2700 K - 653 NOMINAL LM

DIMMABLE
NO




NAPPE N1 

∅ 15 cm / 5.90"
H 36 cm / 14.20"

STANDARD INTEGRATED LED LIGHTING
5,4 W CRI>90
3000 K - 688 NOMINAL LM

ON REQUEST
5,4 W CRI>90
2700 K - 653 NOMINAL LM

DIMMABLE
NO




NAPPE N2 

∅ 15 cm / 5.90"
H 40 cm / 15.70"

STANDARD INTEGRATED LED LIGHTING
5,4 W CRI>90
3000 K - 688 NOMINAL LM

ON REQUEST
5,4 W CRI>90
2700 K - 653 NOMINAL LM

DIMMABLE
NO




NAPPE N3 

∅ 7,5 cm / 3.00"
H 36 cm / 14.20"

STANDARD INTEGRATED LED LIGHTING
5,4 W CRI>90
3000 K - 688 NOMINAL LM

ON REQUEST
5,4 W CRI>90
2700 K - 653 NOMINAL LM

DIMMABLE
NO




NAPPE N4 

∅ 7,5 cm / 3.00"
H 38 cm / 15.00"

STANDARD INTEGRATED LED LIGHTING
5,4 W CRI>90
3000 K - 688 NOMINAL LM

ON REQUEST
5,4 W CRI>90
2700 K - 653 NOMINAL LM

DIMMABLE
NO




NAPPE N5 

∅ 15 cm / 5.90"
H 40 cm / 15.70"

STANDARD INTEGRATED LED LIGHTING
5,4 W CRI>90
3000 K - 688 NOMINAL LM

ON REQUEST
5,4 W CRI>90
2700 K - 653 NOMINAL LM

DIMMABLE
NO




NAPPE N6 

∅ 15 cm / 5.90"
H 32 cm / 12.60"

STANDARD INTEGRATED LED LIGHTING
5,4 W CRI>90
3000 K - 688 NOMINAL LM

ON REQUEST
5,4 W CRI>90
2700 K - 653 NOMINAL LM

DIMMABLE
NO




NAPPE N7 

∅ 7,5 cm / 3.00"
H 34 cm / 13.40"

STANDARD INTEGRATED LED LIGHTING
5,4 W CRI>90
3000 K - 688 NOMINAL LM

ON REQUEST
5,4 W CRI>90
2700 K - 653 NOMINAL LMC

DIMMABLE
NO




NAPPE N8 

∅ 15 cm / 5.90"
H 39 cm / 15.40"

STANDARD INTEGRATED LED LIGHTING
5,4 W CRI>90
3000 K - 688 NOMINAL LM

ON REQUEST
5,4 W CRI>90
2700 K - 653 NOMINAL LM

DIMMABLE
NO




NAPPE N9 

∅ 7,5 cm / 3.00"
H 39 cm / 15.40"


STANDARD INTEGRATED LED LIGHTING
5,4 W CRI>90
3000 K - 688 NOMINAL LM

ON REQUEST
5,4 W CRI>90
2700 K - 653 NOMINAL LM


DIMMABLE
NO




Ⓜ : for the US market, refer to the relevant price list.


NAPPE XM1 


Ø	20 cm / 7.90"
H	80 cm / 31.50"
STANDARD INTEGRATED LED LIGHTING	
UP	9 W CRI>90 3000 K - 1520 NOMINAL LM
DOWN	4 W CRI>90 3000 K - 390 NOMINAL LM
ON REQUEST	
UP	9 W CRI>90 2700 K - 1300 NOMINAL LM
DOWN	4 W CRI>90 2700 K - 335 NOMINAL LM
DIMMABLE	
1-10V + PUSH	




NAPPE XM2 


Ø	24 cm / 9.45"
H	88 cm / 34.60"
STANDARD INTEGRATED LED LIGHTING	
UP	9 W CRI>90 3000 K - 1520 NOMINAL LM
DOWN	4 W CRI>90 3000 K - 390 NOMINAL LM
ON REQUEST	
UP	9 W CRI>90 2700 K - 1300 NOMINAL LM
DOWN	4 W CRI>90 2700 K - 335 NOMINAL LM
DIMMABLE	
1-10V + PUSH	




NAPPE XM3 


Ø	20 cm / 7.90"
H	70 cm / 27.60"
STANDARD INTEGRATED LED LIGHTING	
9 W CRI>90 3000 K - 1520 NOMINAL LM	
ON REQUEST	
9 W CRI>90 2700 K - 1300 NOMINAL LM	
DIMMABLE	
1-10V + PUSH	




NAPPE XL1 


Ø	30 cm / 11.80"
H	125 cm / 49.20"
STANDARD INTEGRATED LED LIGHTING	
UP	6,6 W CRI>90 3000 K - 1150 NOMINAL LM
DOWN	9,2 W CRI>90 3000 K - 1450 NOMINAL LM
ON REQUEST	
UP	6,6 W CRI>90 2700 K - 1092 NOMINAL LM
DOWN	9,2 W CRI>90 2700 K - 1370 NOMINAL LM
DIMMABLE	
1-10V + DALI + PUSH	




NAPPE XL2 


Ø	35 cm / 13.80"
H	135 cm / 53.10"
STANDARD INTEGRATED LED LIGHTING	
UP	6,6 W CRI>90 3000 K - 1150 NOMINAL LM
DOWN	9,2 W CRI>90 3000 K - 1450 NOMINAL LM
ON REQUEST	
UP	6,6 W CRI>90 2700 K - 1092 NOMINAL LM
DOWN	9,2 W CRI>90 2700 K - 1370 NOMINAL LM
DIMMABLE	
1-10V + DALI + PUSH	




NAPPE XL3 


Ø	30 cm / 11.80"
H	110 cm / 43.30"
STANDARD INTEGRATED LED LIGHTING	
12,2 W CRI>90 3000 K - 2000 NOMINAL LM	
ON REQUEST	
12,2 W CRI>90 2700 K - 1900 NOMINAL LM	
DIMMABLE	
1-10V + DALI + PUSH	




 : for the US market, refer to the relevant price list.

NAPPE APP N2 




W	15 cm / 5.90"
D	18 cm / 7.10"
H	42 cm / 16.50"
STANDARD INTEGRATED LED LIGHTING	
5,4 W CRI>90 3000 K - 688 NOMINAL LM	
ON REQUEST	
5,4 W CRI>90 2700 K - 653 NOMINAL LM	
DIMMABLE	
NO	


NAPPE APP N4 

W	7,5 cm / 3.00"
D	14 cm / 5.50"
H	40 cm / 15.70"
STANDARD INTEGRATED LED LIGHTING	
5,4 W CRI>90 3000 K - 688 NOMINAL LM	
ON REQUEST	
5,4 W CRI>90 2700 K - 653 NOMINAL LM	
DIMMABLE	
NO	


NAPPE TL PORTABLE 

ø	15 cm / 5.90"
H	35 cm / 13.80"
STANDARD INTEGRATED LED LIGHTING	
1,3 W CRI>90 3000 K - 250 NOMINAL LM	
ON REQUEST	
1,3 W CRI>90 2700 K - 230 NOMINAL LM	
DIMMABLE	
TOUCH	
ACCESSORIES	
WIRELESS CHARGING BASE INCLUDED DRIVER NOT INCLUDED	



NAPPE STL XM1 

ø	30 cm / 11.80"
H	165 cm / 65.00"
STANDARD INTEGRATED LED LIGHTING	
UP	9 W CRI>90 3000 K - 1520 NOMINAL LM
DOWN	4 W CRI>90 3000 K - 390 NOMINAL LM
ON REQUEST	
UP	9 W CRI>90 2700 K - 1300 NOMINAL LM
DOWN	4 W CRI>90 2700 K - 335 NOMINAL LM
DIMMABLE	
OWN BUTTON	




Ⓢ : for the US market, refer to the relevant price list.

NAPPE C3




STANDARD INTEGRATED LED LIGHTING
3 × 16,2 W CRI>90 3000 K - 2064 NOMINAL LM
ON REQUEST
3 × 16,2 W CRI>90 2700 K - 1960 NOMINAL LM
DIMMABLE
1-10V + PUSH



NAPPE C5




STANDARD INTEGRATED LED LIGHTING
5 × 27 W CRI>90 3000 K - 3440 NOMINAL LM
ON REQUEST
5 × 27 W CRI>90 2700 K - 3268 NOMINAL LM
DIMMABLE
1-10V + PUSH + DALI



NAPPE C10




STANDARD INTEGRATED LED LIGHTING
10 × 54 W CRI>90 3000 K - 6880 NOMINAL LM
ON REQUEST
10 × 54 W CRI>90 2700 K - 6536 NOMINAL LM
DIMMABLE
1-10V + PUSH + DALI



NAPPE C3 LN 75




W	75 cm / 29.50"
D	20 cm / 7.90"
H MAX	155 cm / 61.00"
STANDARD INTEGRATED LED LIGHTING	
3 × 16,2 W CRI>90 3000 K - 2064 NOMINAL LM	
ON REQUEST	
3 × 16,2 W CRI>90 2700 K - 1960 NOMINAL LM	
DIMMABLE	
1-10V + PUSH	



NAPPE C3 LN 125




W	125 cm / 49.20"
D	20 cm / 7.90"
H MAX	155 cm / 61.00"
STANDARD INTEGRATED LED LIGHTING	
3 × 16,2 W CRI>90 3000 K - 2064 NOMINAL LM	
ON REQUEST	
3 × 16,2 W CRI>90 2700 K - 1960 NOMINAL LM	
DIMMABLE	
1-10V + PUSH	



NAPPE C5 LN 175




W	175 cm / 68.90"
D	20 cm / 7.90"
H MAX	155 cm / 61.00"
STANDARD INTEGRATED LED LIGHTING	
5 × 27 W CRI>90 3000 K - 3440 NOMINAL LM	
ON REQUEST	
5 × 27 W CRI>90 2700 K - 3268 NOMINAL LM	
DIMMABLE	
1-10V + PUSH + DALI	



NAPPE C3 RD 40




∅	40 cm / 15.70"
H MAX	155 cm / 61.00"
STANDARD INTEGRATED LED LIGHTING	
3 × 16,2 W CRI>90 3000 K - 2064 NOMINAL LM	
ON REQUEST	
3 × 16,2 W CRI>90 2700 K - 1960 NOMINAL LM	
DIMMABLE	
1-10V + PUSH	



NAPPE C3 RD 60




∅	60 cm / 23.60"
H MAX	155 cm / 61.00"
STANDARD INTEGRATED LED LIGHTING	
3 × 16,2 W CRI>90 3000 K - 2064 NOMINAL LM	
ON REQUEST	
3 × 16,2 W CRI>90 2700 K - 1960 NOMINAL LM	
DIMMABLE	
1-10V + PUSH	



NAPPE C5 RD 80






∅	80 cm / 31.50"
H MAX	155 cm / 61.00"
STANDARD INTEGRATED LED LIGHTING	
5 × 27 W CRI>90 3000 K - 3440 NOMINAL LM	
ON REQUEST	
5 × 27 W CRI>90 2700 K - 3268 NOMINAL LM	
DIMMABLE	
1-10V + PUSH + DALI	






Ⓜ : for the US market, refer to the relevant price list.




SUGGESTED CONFIGURATION FOR C3



SUGGESTED CONFIGURATION FOR C5




SUGGESTED CONFIGURATION FOR C10




SINGLE CANOPY

SIZE		FRAME FINISHINGS	CANOPIE FINISHINGS	PRODUCT NAME
∅	10 cm / 3.90"	● V95	● G12	NAPPE N0-N1-N2-N3-N4
H	5 cm / 2.00"	● V72 ● V51 ● V21 V95	● G12	N5-N6-N7-N8-N9
		● V90	● G12	
		● V35 ● V70 ● V84	● G12	
		● G29	● G29	




SINGLE CANOPY

SIZE		FRAME FINISHINGS	CANOPIE FINISHINGS	PRODUCT NAME
∅	22,5 cm / 8.90"	● V95	● F01	NAPPE XL1 - XL2 - XL3
H	6 cm / 2.40"	● V90	● F01	NAPPE XL1 - XL2 - XL3
		● V35 ● V70 ● V84	● F01	NAPPE XL1 - XL2 - XL3
		● V72 ● V51 ● V21 V95	● V95	NAPPE XL1
		● V72 ● V51 ● V21 V95	● V72	NAPPE XL2
		● V72 ● V51 ● V21 V95	● V51	NAPPE XL3
		● C01 ● V70	● V70	NAPPE XL1 - XL2 - XL3



SINGLE CANOPY

SIZE		FRAME FINISHINGS	CANOPIE FINISHINGS	PRODUCT NAME
∅	14 cm / 5.50"	● V95	● F01	NAPPE XM1 - XM2 - XM3
H	6 cm / 2.40"	● V90	● F01	NAPPE XM1 - XM2 - XM3
		● V35 ● V70 ● V84	● F01	NAPPE XM1 - XM2 - XM3
		● V72 ● V51 ● V21 V95	● V95	NAPPE XM1
		● V72 ● V51 ● V21 V95	● V72	NAPPE XM2
		● V72 ● V51 ● V21 V95	● V51	NAPPE XM3
		● C01 ● V70	● V70	NAPPE XM1 - XM2 - XM3



LINEAR CANOPY LN 75

	SIZE	FINISHINGS	PRODUCT NAME
	W	75 cm / 29.50"	● V98
	D	20 cm / 7.90"	
	H	4 cm / 1.60"	

LINEAR CANOPY LN 125

	SIZE	FINISHINGS	PRODUCT NAME
	W	125 cm / 49.20"	● V98
	D	20 cm / 7.90"	
	H	4 cm / 1.60"	

LINEAR CANOPY LN 175

	SIZE	FINISHINGS	PRODUCT NAME
	W	175 cm / 68.90"	● V98
	D	20 cm / 7.90"	
	H	4 cm / 1.60"	

ROUND CANOPY RD 40

	SIZE	FINISHINGS	PRODUCT NAME
	Ø	40 cm / 15.70"	● V98
	H	4 cm / 1.60"	

ROUND CANOPY RD 60

	SIZE	FINISHINGS	PRODUCT NAME
	Ø	60 cm / 23.60"	● V98
	H	4 cm / 1.60"	

ROUND CANOPY RD 80

	SIZE	FINISHINGS	PRODUCT NAME
	Ø	80 cm / 31.50"	● V98
	H	4 cm / 1.60"	