


Bōzu

SUSPENSION
APPLIQUE
TABLE LAMP



Bōzu

Struttura in metallo galvanizzato e verniciato nero opaco. Diffusore in vetro triplex di Murano bianco opalino. Illuminazione led.

Galvanized and matt black painted metal frame. Opaline white Murano triplex glass diffuser. LED lighting.

Gestell aus galvanisch beschichtetem Metall, schwarz matt lackiert. Opalweißer Triplex-Diffusor aus Muranoglas. LED Leuchtsystem.

Estructura de metal galvanizado pintado de negro mate. Difusor de cristal triplex de Murano blanco opalino. Iluminación LED.

Structure en métal galvanisé peint en noir mat. Diffuseur triplex en verre de Murano blanc opalin. Éclairage à LED.

Каркас из металла с гальваническим и матово-черным покрытием. Рассеиватель из трехслойного муранского стекла белого опалового цвета. Светодиодное освещение.

电镀金属灯体结构，刷哑光黑色漆。蛋白石白色穆拉诺三层玻璃灯罩。LED 灯。

هيكل من المعدن المجلفن والمطلي باللون الأسود المعتم. موزع روائح عطرية من زجاج مورانو الثلاثي الطبقة باللون الأبيض الأوبالين. إضاءة ليد.

FINISHINGS

STANDARD FRAME



v90 Nero opaco + Oro puro spazzolato
g26 Matt Black + Brushed pure gold

FINISHINGS

SMOOTH CONICAL SECTION*



g26 Oro puro spazzolato
Brushed pure gold

* CUSTOM COLOR AVAILABLE ONLY FOR SMOOTH CONICAL SECTION

MATERIALS


STANDARD



c01 Cuoio marrone
Brown leather*

* ONLY FOR BŌZU S3 LN | S8 OV | S6 OV

STANDARD CABLES




BLACK CABLE
H 120 CM / 47.25"

BÖZU S1



Ø 14 cm / 5.50"
H 26 cm / 10.20"

STANDARD INTEGRATED LED LIGHTING	
UP	4,7 W CRI>90 3000 K – 725 NOMINAL LM
DOWN	4,7 W CRI>90 3000 K – 725 NOMINAL LM
ON REQUEST	
UP	4,7 W CRI>90 2700 K – 672 NOMINAL LM
DOWN	4,7 W CRI>90 2700 K – 672 NOMINAL LM
DIMMABLE	
TRIAC	




BÖZU S3 LN



W 160 cm / 63.00"
D 14 cm / 5.50"
H 26 cm / 10.20"

STANDARD INTEGRATED LED LIGHTING	
UP	18 W CRI>90 3000 K – 2175 NOMINAL LM
DOWN	18 W CRI>90 3000 K – 2175 NOMINAL LM
ON REQUEST	
UP	18 W CRI>90 2700 K – 2016 NOMINAL LM
DOWN	18 W CRI>90 2700 K – 2016 NOMINAL LM
DIMMABLE	
0-10V	




BÖZU S8 OV



W 168 cm / 66.10"
D 72 cm / 27.50"
H 26 cm / 10.20"

STANDARD INTEGRATED LED LIGHTING	
UP	48 W CRI>90 3000 K – 5800 NOMINAL LM
DOWN	48 W CRI>90 3000 K – 5800 NOMINAL LM
ON REQUEST	
UP	48 W CRI>90 2700 K – 5376 NOMINAL LM
DOWN	48 W CRI>90 2700 K – 5376 NOMINAL LM
DIMMABLE	
0-10V	




BÖZU S6 OV




W 120 cm / 47.25"
D 72 cm / 27.50"
H 26 cm / 10.20"


STANDARD INTEGRATED LED LIGHTING	
UP	36 W CRI>90 3000 K – 4350 NOMINAL LM
DOWN	36 W CRI>90 3000 K – 4350 NOMINAL LM
ON REQUEST	
UP	36 W CRI>90 2700 K – 4032 NOMINAL LM
DOWN	36 W CRI>90 2700 K – 4032 NOMINAL LM
DIMMABLE	
0-10V	




BÖZU TL		CE 
Ø	14 cm / 5.50"	
H	26 cm / 10.20"	
STANDARD INTEGRATED LED LIGHTING		
6 W CRI>90 3000 K – 725 NOMINAL LM		
ON REQUEST		
6 W CRI>90 2700 K – 672 NOMINAL LM		
DIMMABLE		
OWN BUTTON		





BÖZU TL G <small>New</small>		CE
Ø	21,5 cm / 8.50"	
H	41 cm / 16.10"	
STANDARD INTEGRATED LED LIGHTING		
11,5 W CRI>90 3000 K – 1636 NOMINAL LM		
ON REQUEST		
11,5 W CRI>90 2700 K – 1520 NOMINAL LM		
DIMMABLE		
OWN BUTTON		



BÖZU TL PORTABLE <small>New</small>		CE 
Ø	14 cm / 5.50"	
H	26 cm / 10.20"	
STANDARD INTEGRATED LED LIGHTING		
1,3 W CRI>90 3000 K – 250 NOMINAL LM		
ON REQUEST		
1,3 W CRI>90 2700 K – 230 NOMINAL LM		
DIMMABLE		
TOUCH		
ACCESSORIES		
WIRELESS CHARGING BASE INCLUDED DRIVER NOT INCLUDED		



BÖZU A1		CE 
W	14 cm / 5.50"	
D	22 cm / 8.70"	
H	32 cm / 12.60"	
STANDARD INTEGRATED LED LIGHTING		
UP	4,7 W CRI>90 3000 K – 725 NOMINAL LM	
DOWN	4,7 W CRI>90 3000 K – 725 NOMINAL LM	
ON REQUEST		
UP	4,7 W CRI>90 2700 K – 672 NOMINAL LM	
DOWN	4,7 W CRI>90 2700 K – 672 NOMINAL LM	
DIMMABLE		
TRIAC		



BÖZU C3 RD 40 

∅ 40 cm / 15.74"
HMAX 160 cm / 63.00"

STANDARD INTEGRATED LED LIGHTING	
UP	18 W CRI>90 3000 K – 2175 NOMINAL LM
DOWN	18 W CRI>90 3000 K – 2175 NOMINAL LM
ON REQUEST	
UP	18 W CRI>90 2700 K – 2016 NOMINAL LM
DOWN	18 W CRI>90 2700 K – 2016 NOMINAL LM
DIMMABLE	
0-10V	

BÖZU C5 RD 60 




∅ 60 cm / 23.60"
HMAX 160 cm / 63.00"

STANDARD INTEGRATED LED LIGHTING	
UP	30 W CRI>90 3000 K – 3625 NOMINAL LM
DOWN	30 W CRI>90 3000 K – 3625 NOMINAL LM
ON REQUEST	
UP	30 W CRI>90 2700 K – 3360 NOMINAL LM
DOWN	30 W CRI>90 2700 K – 3360 NOMINAL LM
DIMMABLE	
0-10V	


BÖZU C7 RD 80 

∅ 80 cm / 31.50"
HMAX 160 cm / 63.00"

STANDARD INTEGRATED LED LIGHTING	
UP	42 W CRI>90 3000 K – 5075 NOMINAL LM
DOWN	42 W CRI>90 3000 K – 5075 NOMINAL LM
ON REQUEST	
UP	42 W CRI>90 2700 K – 4704 NOMINAL LM
DOWN	42 W CRI>90 2700 K – 4704 NOMINAL LM
DIMMABLE	
0-10V	




SINGLE CANOPY




SIZE	FINISHINGS	PRODUCT NAME
Ø 14 cm / 5.51"	● G26 + ● V91	BÖZU S1
H 4 cm / 1.60"		

SINGLE CANOPY




SIZE	FINISHINGS	PRODUCT NAME
Ø 18 cm / 7.10"	● G26 + ● V91	BÖZU S3 LN
H 4 cm / 1.60"		

SINGLE CANOPY




SIZE	FINISHINGS	PRODUCT NAME
Ø 22 cm / 8.70"	● G26 + ● V91	BÖZU S6 OV
H 4 cm / 1.60"		BÖZU S8 OV


ROUND CANOPY RD 40

	SIZE	FINISHINGS	PRODUCT NAME
	Ø 40 cm / 15.70"	● V91	BÔZU C3 RD 40
	H 4 cm / 1.60"		

ROUND CANOPY RD 60

	SIZE	FINISHINGS	PRODUCT NAME
	Ø 60 cm / 23.60"	● V91	BÔZU C5 RD 60
	H 4 cm / 1.60"		

ROUND CANOPY RD 80

	SIZE	FINISHINGS	PRODUCT NAME
	Ø 80 cm / 31.50"	● V91	BÔZU C7 RD 80
	H 4 cm / 1.60"		