


Iglù

SUSPENSION
CEILING
APPLIQUE
TABLE LAMP
FLOOR LAMP



Metal structure painted with brushed patina. LED lighting.

FINISHINGS

STANDARD



v86 Coated bronze


MATERIALS

STANDARD



Gold mesh - v94


STANDARD CABLES



IGLÙ S1 13 New 

Ø 13 cm / 5.10"
H 13 cm / 5.10"


| |
|---|
| STANDARD INTEGRATED LED LIGHTING |
| 5,4 W CRI>90 3000 K – 688 NOMINAL LM |
| ON REQUEST |
| 5,4 W CRI>90 2700 K – 653 NOMINAL LM |
| DIMMABLE |
| TRIAC |



IGLÙ S1 18 New 

Ø 18 cm / 7.10"
H 18 cm / 7.10"


| |
|---|
| STANDARD INTEGRATED LED LIGHTING |
| 11,4 W CRI>90 3000 K – 1450 NOMINAL LM |
| ON REQUEST |
| 11,4 W CRI>90 2700 K – 1232 NOMINAL LM |
| DIMMABLE |
| TRIAC |



IGLÙ S1 25 

Ø 25,5 cm / 10.00"
H 25,5 cm / 10.00"


| |
|---|
| INTEGRATED LED LIGHTING |
| 15,5 W CRI>90 3000 K – 2100 NOMINAL LM |
| ON REQUEST |
| 15,5 W CRI>90 2700 K – 2000 NOMINAL LM |
| DIMMABLE |
| 0-10V |



IGLÙ S2 

W 58 cm / 22.80"
D 18 cm / 7.10"
H 18 cm / 7.10"


| |
|---|
| INTEGRATED LED LIGHTING |
| 19,8 W CRI>90 3000 K – 2600 NOMINAL LM |
| ON REQUEST |
| 19,8 W CRI>90 2700 K – 2440 NOMINAL LM |
| DIMMABLE |
| 0-10V |



IGLÙ S6+1 

Ø 96 cm / 37.80"
H 52 cm / 20.50"


| |
|---|
| INTEGRATED LED LIGHTING |
| 26,6 W CRI>90 3000 K – 3626 NOMINAL LM |
| ON REQUEST |
| 26,6 W CRI>90 2700 K – 3444 NOMINAL LM |
| DIMMABLE |
| 0-10V |



IGLÙ S12+1 

Ø 96 cm / 37.80"
H 68 cm / 26.80"


| |
|---|
| INTEGRATED LED LIGHTING |
| 49,4 W CRI>90 3000 K – 6734 NOMINAL LM |
| ON REQUEST |
| 49,4 W CRI>90 2700 K – 6397 NOMINAL LM |
| DIMMABLE |
| 0-10V |



IGLÙ S18+1 

Ø 136 cm / 53.50"
H 82 cm / 32.30"

| |
|--|
| INTEGRATED LED LIGHTING |
| 73,5 W CRI>90 3000 K – 10258 NOMINAL LM |
| ON REQUEST |
| 73,5 W CRI>90 2700 K – 9745 NOMINAL LM |
| DIMMABLE |
| 0-10V |




| | | |
|-------------------|---------------|-----------|
| IGLÙ PL 13 | | CE |
| ∅ | 13 cm / 5.10" | |
| H | 13 cm / 5.10" | |

| | |
|--------------------------------|--|
| INTEGRATED LED LIGHTING | |
| 5.4 W CRI>90 | |
| 3000 K – 688 NOMINAL LM | |

| | |
|-------------------------|--|
| ON REQUEST | |
| 5,4 W CRI>90 | |
| 2700 K – 653 NOMINAL LM | |

| | |
|-----------------|--|
| DIMMABLE | |
| NO | |




| | | |
|-------------------|---------------|-----------|
| IGLÙ PL 18 | | CE |
| ∅ | 18 cm / 7.10" | |
| H | 18 cm / 7.10" | |

| | |
|--------------------------------|--|
| INTEGRATED LED LIGHTING | |
| 8.4 W CRI>90 | |
| 3000 K – 1300 NOMINAL LM | |

| | |
|--------------------------|--|
| ON REQUEST | |
| 8,4 W CRI>90 | |
| 2700 K – 1232 NOMINAL LM | |

| | |
|-----------------|--|
| DIMMABLE | |
| TRIAC | |




| | | |
|-------------------|------------------|-----------|
| IGLÙ PL 25 | | CE |
| ∅ | 25.5 cm / 10.00" | |
| H | 25.5 cm / 10.00" | |


| | |
|--------------------------------|--|
| INTEGRATED LED LIGHTING | |
| 15.5 W CRI>90 | |
| 3000 K – 2100 NOMINAL LM | |

| | |
|--------------------------|--|
| ON REQUEST | |
| 15,5 W CRI>90 | |
| 2700 K – 2000 NOMINAL LM | |


| | |
|-----------------|--|
| DIMMABLE | |
| 0-10V | |




| IGLÙ A1 | | CE |
|--------------------------------|--|----|
| W | 24 cm / 9.40" | |
| D | 28 cm / 11.00" | |
| H | 18 cm / 7.10" | |
| INTEGRATED LED LIGHTING | | |
| UP | 2.6 W CRI>90 3000 K – 346 NOMINAL LM | |
| DOWN | 8.4 W CRI>90 3000 K – 1150 NOMINAL LM | |
| ON REQUEST | | |
| UP | 2,6 W CRI>90 2700 K – 335 NOMINAL LM | |
| DOWN | 8,4 W CRI>90 2700 K – 977 NOMINAL LM | |
| DIMMABLE | | |
| TRIAC | | |



| IGLÙ TL1 | | CE |
|--------------------------------|---|----|
| W | 24 cm / 9.40" | |
| D | 28 cm / 11.00" | |
| H | 55 cm / 21.70" | |
| INTEGRATED LED LIGHTING | | |
| UP | 3.7 W CRI>90 3000 K – 462 NOMINAL LM | |
| DOWN | 11.4 W CRI>90 3000 K – 1450 NOMINAL LM | |
| ON REQUEST | | |
| UP | 3,7 W CRI>90 2700 K – 448 NOMINAL LM | |
| DOWN | 11,4 W CRI>90 2700 K – 1232 NOMINAL LM | |
| DIMMABLE | | |
| OWN BUTTON | | |



| IGLÙ STL1 | | CE |
|--------------------------------|---|----|
| W | 24 cm / 9.40" | |
| D | 28 cm / 11.00" | |
| H | 162 cm / 63.80" | |
| INTEGRATED LED LIGHTING | | |
| UP | 3.7 W CRI>90 3000 K – 462 NOMINAL LM | |
| DOWN | 11.4 W CRI>90 3000 K – 1450 NOMINAL LM | |
| ON REQUEST | | |
| UP | 3,7 W CRI>90 2700 K – 448 NOMINAL LM | |
| DOWN | 11,4 W CRI>90 2700 K – 1232 NOMINAL LM | |
| DIMMABLE | | |
| OWN BUTTON | | |




IGLÙ S7 

∅ 60 cm / 23.60"
H MAX 150 cm / 59.10"

STANDARD INTEGRATED LED LIGHTING
52,3 W CRI>90
3000 K - 6700 NOMINAL LM

ON REQUEST
52,3 W CRI>90
2700 K - 6030 NOMINAL LM

DIMMABLE
0-10V




IGLÙ C5 RD 40 

∅ 40cm/ 15.70"
H MAX 150 cm / 59.10"

STANDARD INTEGRATED LED LIGHTING
27 W CRI>90
3000K - 3440 NOMINAL LM

ON REQUEST
27 W CRI>90
2700K - 3268 NOMINAL LM

DIMMABLE
0-10V




IGLÙ C7 RD 60 

∅ 60cm / 23.60"
H MAX 150 cm / 59.10"

INTEGRATED LED LIGHTING
37.8 W CRI>90
3000K - 4816 NOMINAL LM

ON REQUEST
37,8 W CRI>90
2700K - 4575 NOMINAL LM

DIMMABLE
0-10V




IGLÙ C10 RD 80 

∅ 80cm/ 31.50"
H MAX 150 cm / 59.10"

INTEGRATED LED LIGHTING
50 W CRI>90
3000K - 6384 NOMINAL LM

ON REQUEST
54 W CRI>90
2700 K - 6536 NOMINAL LM

DIMMABLE
0-10V




IGLÙ C5 LN 75 

W 75 cm / 29.50"
D 20 cm / 7.90"
H MAX 150 cm / 59.10"

INTEGRATED LED LIGHTING
27 W CRI>90
3000K - 3440 NOMINAL LM

ON REQUEST
27 W CRI>90
2700K - 3268 NOMINAL LM

DIMMABLE
0-10V




IGLÙ C7 LN 125 


W 125 cm / 49.20"
D 20 cm / 7.90"
H MAX 150 cm / 59.10"

INTEGRATED LED LIGHTING
37.8 W CRI>90
3000K - 4816 NOMINAL LM

ON REQUEST
37,8 W CRI>90
2700K - 4575 NOMINAL LM

DIMMABLE
0-10V




IGLÙ C10 LN 175 

W 175 cm / 68.90"
D 20 cm / 7.90"
H MAX 150 cm / 59.10"


INTEGRATED LED LIGHTING
50 W CRI>90
3000K - 6384 NOMINAL LM

ON REQUEST
54 W CRI>90
2700 K - 6536 NOMINAL LM

DIMMABLE
0-10V




SINGLE CANOPY




| SIZE | | CANOPI FINISHINGS | CABLE COLOR | PRODUCT NAME |
|------|---------------|-------------------|-------------|--------------|
| Ø | 12 cm / 4.70" | V86 | BLACK | IGLÚ S1 13 |
| H | 6 cm / 2.30" | | | IGLÚ S1 18 |

SINGLE CANOPY



| SIZE | | CANOPI FINISHINGS | CABLE COLOR | PRODUCT NAME |
|------|---------------|-------------------|-------------|--------------|
| Ø | 14 cm / 5.50" | V86 | BLACK | IGLÚ S1 25 |
| H | 7 cm / 2.80" | | | |

SINGLE CANOPY



| SIZE | | CANOPI FINISHINGS | CABLE COLOR | PRODUCT NAME |
|------|----------------|-------------------|-------------|--------------|
| W | 45 cm / 17.70" | V86 | BLACK | IGLÚ S2 |
| D | 12 cm / 4.70" | | | |
| H | 4 cm / 1.60" | | | |

SINGLE CANOPY




| SIZE | | CANOPI FINISHINGS | CABLE COLOR | PRODUCT NAME |
|------|---------------|-------------------|-------------|--------------|
| Ø | 14 cm / 5.50" | V86 | BLACK | IGLÚ S 6+1 |
| H | 7 cm / 2.80" | | | |

SINGLE CANOPY



| SIZE | | CANOPI FINISHINGS | CABLE COLOR | PRODUCT NAME |
|------|---------------|-------------------|-------------|--------------|
| Ø | 18 cm / 7.10" | V86 | BLACK | IGLÚ S 12+1 |
| H | 9 cm / 3.50" | | | |

SINGLE CANOPY



| SIZE | | CANOPI FINISHINGS | CABLE COLOR | PRODUCT NAME |
|------|---------------|-------------------|-------------|--------------|
| Ø | 20 cm / 7.90" | V86 | BLACK | IGLÚ S 18+1 |
| H | 10 cm / 3.90" | | | |

LINEAR CANOPY LN 75

| | SIZE | FINISHINGS | PRODUCT NAME |
|--|------------------|------------|---------------|
| | W 75 cm / 29.50" | ● V86 | IGLÚ C5 LN 75 |
| | D 20 cm / 7.90" | | |
| | H 4 cm / 1.60" | | |
| | | | |

LINEAR CANOPY LN 125

| | SIZE | FINISHINGS | PRODUCT NAME |
|--|-------------------|------------|----------------|
| | W 125 cm / 49.20" | ● V86 | IGLÚ C7 LN 125 |
| | D 20 cm / 7.90" | | |
| | H 4 cm / 1.60" | | |
| | | | |

LINEAR CANOPY LN 175

| | SIZE | FINISHINGS | PRODUCT NAME |
|--|-------------------|------------|-----------------|
| | W 175 cm / 68.90" | ● V86 | IGLÚ C10 LN 175 |
| | D 20 cm / 7.90" | | |
| | H 4 cm / 1.60" | | |
| | | | |

ROUND CANOPY RD 40

| | SIZE | FINISHINGS | PRODUCT NAME |
|--|------------------|------------|---------------|
| | Ø 40 cm / 15.70" | ● V86 | IGLÚ C5 RD 40 |
| | H 4 cm / 1.60" | | |
| | | | |

ROUND CANOPY RD 60

| | SIZE | FINISHINGS | PRODUCT NAME |
|--|------------------|------------|--------------------------|
| | Ø 60 cm / 23.60" | ● V86 | IGLÚ C7 RD 60 IGLÚ S7 |
| | H 4 cm / 1.60" | | |
| | | | |

ROUND CANOPY RD 80

| | SIZE | FINISHINGS | PRODUCT NAME |
|--|------------------|------------|----------------|
| | Ø 80 cm / 31.50" | ● V86 | IGLÚ C10 RD 80 |
| | H 4 cm / 1.60" | | |
| | | | |